

COMMANDING THE SEAS A PLAN TO REINVIGORATE U.S. NAVY SURFACE WARFARE



COMMANDING THE SEAS

A PLAN TO REINVIGORATE U.S. NAVY SURFACE WARFARE

BRYAN CLARK



ABOUT THE CENTER FOR STRATEGIC AND BUDGETARY ASSESSMENTS (CSBA)

The Center for Strategic and Budgetary Assessments (CSBA) is an independent, nonpartisan policy research institute established to promote innovative thinking and debate about national security strategy and investment options. CSBA's analysis focuses on key questions related to existing and emerging threats to U.S. national security, and its goal is to enable policymakers to make informed decisions on matters of strategy, security policy, and resource allocation.

ABOUT THE AUTHOR

Bryan Clark is a Senior Fellow at the Center for Strategic and Budgetary Assessments (CSBA). Prior to joining CSBA in 2013, Mr. Clark was Special Assistant to the Chief of Naval Operations and director of his Commander's Action Group, where he led development of Navy strategy and implemented new initiatives in electromagnetic spectrum operations, undersea warfare, expeditionary operations, and personnel and readiness management. Mr. Clark served in the Navy headquarters staff from 2004 to 2011, leading studies in the Assessment Division and participating in the 2006 and 2010 Quadrennial Defense Reviews. His areas of emphasis were modeling and simulation, strategic planning, and institutional reform and governance. Prior to retiring from the Navy in 2007, Mr. Clark was an enlisted and officer submariner, serving in afloat and ashore submarine operational and training assignments including tours as chief engineer and operations officer at the Navy's nuclear power training unit.

Mr. Clark holds an M.S. in National Security Studies from the National War College and a B.S. in Chemistry and Philosophy from the University of Idaho. He is the recipient of the Department of the Navy Superior Service Medal and the Legion of Merit.

ACKNOWLEDGEMENTS

The author would like to thank the staff at CSBA for their efforts on this study, particularly Jacob Cohn and Ryan Boone, whose research and graphics were essential to completing the project, and Kamilla Gunzinger, for expertly editing and preparing it for publication.

Contents

| Executive Summaryi |
|---|
| CHAPTER 1: Introduction1 |
| Scope |
| Timeframe |
| Navy Functions and Missions4 |
| Surface Fleet Challenges |
| CHAPTER 2: Offensive Sea Control: A Central Concept for Surface Warfare |
| Enduring Importance of Sea Control |
| Offensive Sea Control: The 21st Century's "Outer Air Battle" |
| New Concept for Sea-based Anti-air Warfare |
| New Approach to Weapons Development |
| New Concepts to Affordably Increase Surface Combatants for |
| Offensive Sea Control |
| New Approaches to Defensive and Constabulary Missions |
| CHAPTER 3: Capability and Program Implications |
| Large Surface Combatants |
| Small Surface Combatants 48 |
| Surface Fleet Weapons |
| Summary |
| CHAPTER 4: Conclusion |
| List of Acronyms |

Executive Summary

Introduction

The U.S. Navy's surface fleet is at a crossroads. In 2001, the Navy planned a new network-centric approach to surface warfare, supported by a family of new ships: the CG(X) cruiser, DD(X) destroyer, and Littoral Combat Ship (LCS). Each of those ships is now cancelled or truncated, and the approach they supported is in disarray. The U.S. surface fleet must restructure itself around a new central idea of how it will fight. At the same time, it must evolve to address a more challenging security environment characterized in particular by sophisticated anti-access capabilities that continue to improve and proliferate. The surface fleet—whose missions expanded over the last three decades to include everything from counter-piracy to ballistic missile defense (BMD)—will need to get "back to basics" and focus on sea control to sustain the ability of U.S. forces to project power across increasingly contested waters. And the Navy will have to undertake this evolution at a time of constrained budgets and growing costs to man and maintain its ships and aircraft.

A confluence of events, however, gives the Navy an opportunity to dramatically reshape the surface fleet. In the next year it will:

- Establish final specifications for Flight III of the *Arleigh Burke* destroyer (restarted with the truncation of DD[X]);
- Determine the concept and requirements for a new small surface combatant to follow the now-truncated LCS and decide how to modify existing LCSs to be more lethal;
- Implement a plan to sustain its cruiser capacity with the cancellation of CG(X); and
- Decide the characteristics or acquisition approach for several surface fleet weapons and sensors.

Scope

This study and its recommendations are focused on large and small surface combatants. Large surface combatants consist of guided missile cruisers (CG) and guided missile destroyers (DDG); small surface combatants (SSC) include LCS, frigates (FFG), Patrol Coastal ships (PC), and mine countermeasure ships (MCM). Surface combatants have a distinct role in modern naval warfare from that of other surface ships such as amphibious warships and aircraft carriers. Surface combatants gain and maintain control of areas at sea to enable the rest of the joint force, including carriers and amphibious ships, to project power. Sea control consists of anti-air warfare (AAW), anti-submarine warfare (ASW), mine warfare (MIW), surface warfare (SUW), and strike warfare against anti-ship threats. Each of these missions has an offensive and defensive aspect.

New Concepts

Offensive sea control is the central concept around which the study's recommendations are based. This idea would refocus large and small surface combatant configuration, payloads, and employment on sustaining the surface force's ability to take and hold areas of ocean by destroying threats to access such as aircraft, ships, and submarines rather than simply defending against their missiles and torpedoes.

Regaining its ability to conduct offensive sea control requires the surface fleet to implement new concepts and approaches to address several significant shortfalls:

- <u>Offensive weapons capacity per ship</u>: Today, CG and DDG vertical launch system (VLS) magazines are filled predominantly with weapons that are only useful for defensive AAW. The Navy needs a new concept for seabased defensive AAW to free up VLS space for long-range offensive ASW, SUW, and AAW weapons;
- <u>Air defense density and cost</u>: Today, the fleet relies on a layered air defense approach in which the longest-range layers are both most likely to be used and most disadvantageous from a cost and capacity perspective. The Navy should implement a new defensive AAW concept with only one shorter-range layer to make more VLS space available for offensive weapons, increase the density of the air defense screen, and improve the cost exchange between U.S. air defenses and enemy anti-ship cruise missiles (ASCMs);
- <u>Offensive weapons capability</u>: Today, the surface fleet lacks weapons with the range to attack aircraft, ships, and submarines outside enemy

ASCM range. The Navy should implement a new approach to weapons development that emphasizes relevant capability, multi-mission flexibility, and smaller physical size to increase the range of ASW, SUW, and AAW weapons and enable more of them to be carried on each surface combatant;

- <u>Overall surface fleet offensive capacity</u>: The offensive weapons capacity per large surface combatant will probably continue to be constrained by the capacity needed for air defense until new systems such as electromagnetic railgun (EMRG) and lasers are fully fielded. The Navy should implement new concepts to expand the number of surface combatants able to participate in offensive sea control operations; and
- <u>SSC capacity</u>: Growing demands for constabulary missions and the current shortfall in SSCs will likely pull CGs and DDGs away from offensive sea control. The Navy should implement new approaches to conduct traditional SSC missions that improve the ability of SSCs to operate without large surface combatant escorts and expand the number of ships in the U.S. National Fleet that can contribute to these missions.

Capability and Program Implications

The study will not propose a new architecture for the surface fleet. Instead, it focuses on modifications to existing ships and new weapons or sensors that can be fielded by 2025. Fiscal constraints likely will preclude the Navy from building a new-design surface combatant until the 2030s, whereas today's Navy and national decision makers can influence capabilities fielded into the mid-2020s.

The study makes recommendations in the following areas:

- Large Surface Combatants: The Navy should equip some Flight III Arleigh Burke-class DDGs with lasers for defensive AAW and change the mix of VLS weapons they carry to favor shorter-range defensive weapons such as the Evolved Sea Sparrow Missile (ESSM) and long-range offensive weapons such as SM-6s or Long Range Anti-Ship Missiles (LRASMs). To gain the defensive AAW capacity possible with EMRGs, the Navy should install them on ships such as a joint high speed vessel (JHSV) that have space and weight available for associated power and cooling systems. The Navy should also explore the incorporation of a strike-oriented EMRG on one of the three Zumwalt-class DDGs.
- <u>Small Surface Combatants:</u> The Navy should modify one of the LCS variants to be the follow-on SSC to leverage the learning curve already established with those ships and enable the new ship to promptly reach the

fleet. Some of the modifications used in the follow-on SSC (such as a VLS magazine), should be back-fitted into selected "Flight o" LCS. Further, the complexity introduced with modified LCSs and the follow-on SSC suggest the Navy should end its rotational crewing concept for LCS and forward base some of them overseas to achieve similar operational availability. The ability of non-combatant ships such as JHSV to conduct some planned LCS missions such as MIW and maritime security suggests the Navy should also separate LCS mission packages from the LCS program, making them independent, stand-alone capability sets that could be carried on a wide range of ships in the National Fleet.

• <u>Surface force weapons:</u> The Navy should pursue modifications with its next generation of weapons such as the LRASM and vertical-launch ASW rocket that ensure surface combatants can engage enemy platforms outside enemy ASCM range while enhancing the offensive capacity of the surface fleet.

Conclusion

The Navy has an uncommon opportunity in the next year to set the course for the future surface fleet. The challenges it faces, however, are daunting. If the Navy doesn't make good choices with regard to the configuration, payloads, and employment of surface combatants, it will fall further behind competitors who will increasingly be able to deny U.S. forces access to their region.

CHAPTER 1:

Introduction

The U.S. Navy's surface fleet is at a crossroads. In 2001, the Navy planned a new approach to surface warfare supported by a family of new ships: the CG(X) missile defense cruiser, DD(X) land attack destroyer, and sea control-focused¹ littoral combat ship (LCS). This new family of ships was intended to conduct "network-centric warfare," where the surface fleet would counter growing threats by having each ship specialize in a small set of missions. The fleet would maintain the ability to conduct a wide range of operations by connecting ships via a dense communications network. Each of those 2001 ships is now canceled or its program truncated, leaving the Navy without a coherent surface fleet architecture or a clear central concept for surface warfare.

The United States is now entering a period of significant and perhaps disruptive change that should inform a new central concept for surface warfare. America's security environment is not as benign or stable as it was in 2001, when, a decade after the fall of the Soviet Union, the Navy was without a significant competitor. U.S. surface combatants could take sea control for granted and took on missions such as ballistic missile defense (BMD), counter-piracy, or strike.

Of most concern to the surface fleet, sophisticated anti-access/area denial (A2/AD)² capabilities continue to improve and proliferate from near-peer

Sea control is defined by the Navy as "The employment of naval forces, supported by land and air forces as appropriate, in order to achieve military objectives in vital sea areas. Such operations include destruction of enemy naval forces, suppression of enemy sea commerce, protection of vital sea lanes, and establishment of local military superiority in areas of naval operations." See U.S. Navy, *Naval Operations Concept 2010* (Washington, DC: U.S. Navy, 2010), available at http://www.navy.mil/maritime/noc/NOC2010.pdf.

2 For the purposes of this paper, anti-access (A2) capabilities are associated with denying access to major fixed-point targets, especially large forward bases, whereas area-denial (AD) capabilities threaten mobile targets over an area of operations, principally maritime forces, to include beyond the littorals. See Andrew Krepinevich, *Why AirSea Battle?* (Washington, DC: Center for Strategic and Budgetary Assessments, 2010), pp. 8–11.

Sophisticated A2/AD capabilities continue to improve and proliferate from near-peer competitors to other U.S. rivals, threatening U.S. freedom of action and challenging its security assurances to allies and partners. competitors to other U.S. rivals, threatening U.S. freedom of action and challenging its security assurances to allies and partners. At the same time, instability is spreading with the rise of revisionist states in Eastern Europe, the Middle East, and East Asia as well as failed states in the developing world. And despite the growing challenges to U.S. security, the Navy's budgets are projected to be flat or declining due to legislative caps and growing pressure from nondiscretionary spending. The combination of rising threats and reduced resources places a premium on innovative thinking as the surface fleet works to sustain its ability to help ensure access for U.S. forces and address growing demands for maritime security and training from partners and allies.

Fortunately a confluence of events provides the Navy with a narrow window to adapt the surface fleet to address these challenges. Consider that in the next year the Navy will:

- Identify systems and configuration of the Flight III *Arleigh Burke* destroyer (restarted with the truncation of DD[X]);
- Determine the concept and requirements for a new or modified ship to follow the now-truncated LCS and decide how to upgrade existing LCSs to be more lethal;
- Implement a plan to sustain its cruiser capacity with the cancellation of CG(X); and
- Decide the characteristics or acquisition approach for several surface fleet weapons and sensors.

This study informs these decisions by: highlighting the most relevant trends for surface fleet development; proposing "offensive sea control" as a new central concept for surface warfare (Chapter 2); and identifying the implications of this concept for surface fleet programs and capabilities (Chapter 3).

Scope

This study and its recommendations focus on large and small surface combatants, together referred to as the "surface fleet." Large surface combatants consist of guided missile cruisers (CG) and guided missile destroyers (DDG), whereas small surface combatants (SSC) include LCS, frigates (FFG), patrol coastal ships (PC), and mine countermeasure ships (MCM). Surface combatants have the distinct role in modern naval warfare of gaining and maintaining control of areas at sea to enable the rest of the joint force to project power. This differentiates them from other surface ships such as amphibious ships and aircraft carriers, whose primary mission is to project power. And while all surface combatants contribute to sea control, traditionally SSCs focus on less-stressing missions such as escort, maritime security, and training for allies and partners.

This study does not propose a new design or architecture for the surface fleet. The likely fiscal constraints will preclude the Navy from fielding a new-design surface combatant until the 2030s. Instead, the study focuses on modifications to existing ships and new weapons or sensors to equip them.

Timeframe

This study focuses on the mid-2020s timeframe. From a practical standpoint, this is far enough in the future to enable new capabilities decided upon in the near term to be fielded,³ such as those affected by decisions in the coming year. For example:

- The third flight of *Arleigh Burke* DDGs will begin arriving in 2021 to replace today's *Ticonderoga*-class CGs⁴ and Flight I *Arleigh Burke*-class DDGs. The characteristics and capabilities of these new DDGs will be determined no later than FY 2016;
- All the Navy's *Ticonderoga*-class CGs will retire by 2029 unless the Navy can implement a phased modernization plan starting in FY 2015;⁵
- The first of a new class of "frigate-like" SSCs will deliver in 2023, whose concept and specifications will be determined in FY 2016; and
- The Navy will field several next-generation surface fleet weapon and sensor "payloads" in the mid-2020s whose specifications and host platforms will be established in the next two years, including high-energy solid-state lasers, electromagnetic railgun (EMRG), Long-range Anti-ship Missile (LRASM), Surface Electronic Warfare Improvement Program (SEWIP) Block 3, and Air and Missile Defense Radar (AMDR).

.....

- 4 The first five *Ticonderoga*-class CGs (CG-47 through CG-51) were decommissioned in 2004–2005; these ships did not have vertical launch system (VLS) magazines and had material issues such as hull and superstructure cracking that made modernizing them impractical.
- 5 Under that proposed phased modernization plan, the Navy would retire the oldest eleven CGs by 2026 and the remaining eleven between 2035 and 2043.

³ The Navy is developing its FY 2016–2020 Future Year's Defense Plan (FYDP) now, and research and development decisions in the plan will impact the acquisition and fielding options available to the Navy in the 2020–2025 FYDP.

Navy Functions and Missions

The Navy's traditional functions, as described in the maritime strategy *A Cooperative Strategy for 21st Century Seapower* and the *Naval Operations Concept*, are deterrence, power projection, sea control, maritime security, and humanitarian assistance and disaster response (HA/DR).⁶ The surface fleet contributes to each of these functions, but only surface combatants are capable of conducting the full range of sea control missions. Consequently, when threats to maritime freedom of action emerge, surface combatants are expected to address them.

The missions that comprise the sea control function are surface warfare (SUW), anti-submarine warfare (ASW), anti-air warfare (AAW), mine warfare (MIW), and strike warfare against sea control threats ashore such as anti-ship missile launchers. Each of these missions has an offensive and defensive aspect. In this report, *offensive sea control* refers to operations designed to defeat enemy platforms that can launch anti-ship weapons, as described in the right-hand column of Table 1. *Defensive sea control* refers to operations designed to defeat enemy anti-ship weapons, as described in the left-hand column of the table. As the table indicates, because anti-ship missiles are the most common sea control weapons today, defensive sea control fundamentally depends on effective defensive AAW.

TABLE 1. SEA CONTROL MISSIONS⁷

| Defensive sea control | Mission | Offensive sea control |
|--|------------------------------|---|
| Defeating surface ship gunfire | Surface warfare (SUW) | Destroying or disabling surface ships |
| Defeating torpedoes | Anti-submarine warfare (ASW) | Destroying, disabling or rendering ineffective submarines |
| Defeating airborne anti-ship weap- ons from aircraft, submarines, ships, and shore launchers | Anti-air warfare (AAW) | Destroying or disabling aircraft |
| Finding and neutralizing mines | Mine warfare (MIW) | Laying mines |
| | Strike | Destroying or disabling shore-based anti-ship missile launchers |

The Navy de-emphasized sea control in the twenty-five years since the end of the Cold War because U.S. maritime supremacy was essentially unchallenged. The surface fleet prioritized defense against unexpected, small-scale attacks and

6 U.S. Navy, Naval Operations Concept 2010.

7 Ibid.

did not pursue new capabilities for defense against large missile salvos or to conduct the offensive sea control missions described in Table 1. As a result, surface combatants today cannot engage submarines, surface ships, or aircraft from outside enemy anti-ship missile range.

Surface Fleet Challenges

The Navy will have to consider three major trends as it develops and implements a new central concept for surface warfare.

State-on-State Threats will Expand as A2/AD Networks Improve and Proliferate

Over the next decade some of America's rivals are planning to field comprehensive A2/AD networks to prevent U.S. intervention in regional conflicts and deny naval forces access to adjacent seas. Countries such as China and Iran began these efforts ten to fifteen years ago to counter U.S. conventional military superiority by exploiting the diffusion of new military technologies.⁸

The heart of China's A2/AD network is a "reconnaissance-strike complex" combining long-range precision-guided weapons such as anti-ship cruise missiles (ASCM) and anti-ship ballistic missiles (ASBM) with long-range targeting systems such as over-the-horizon (OTH) radars and electro-optical/infrared (EO/ IR) satellites.⁹ Much of this network is in place today and is projected to be fully operational by the 2020s.¹⁰ The overall Chinese strategy appears designed to inflict substantial losses on U.S. forces in a rapid initial attack to demonstrate the United States' inability to defend its allies. In a second phase, "China would assume the strategic defense and confront the United States with the prospect of either paying a very high (and perhaps prohibitive) cost for reversing its gains, or accepting Beijing's fait accompli."¹¹

8 Andrew Krepinevich, Barry Watts, and Robert Work, *Meeting the Anti-Access and Area-Denial Challenge*. (Washington, DC: Center for Strategic and Budgetary Assessments, 2003), p. 1.

9 See Krepinevich, Why AirSea Battle?; Jan van Tol, Mark Gunzinger, Andrew Krepinevich, and Jim Thomas, Air Sea Battle: A Point-of-Departure Operational Concept (Washington, DC: Center for Strategic and Budgetary Assessments, 2010); and Roger Cliff et al., Entering the Dragon's Lair: Chinese Anti-access Strategies and Their Implications for the United States (Santa Monica, CA: RAND, 2007), available at http://www.rand.org/pubs/monographs/2007/RAND_MG524.pdf.

10 The "fully operational A2/AD network" would include fifth-generation strike fighters, communication systems, and undersea surveillance as well. See Jonathan Greenert, "Navy, 2025: Forward Warfighters," U.S. Naval Institute Proceedings, December 2011, p. 20, available at http://www.usni. org/magazines/proceedings/2011-12/navy-2025-forward-warfighters; and U.S. Department of Defense (DoD), China Military Modernization (Washington, DC: DoD, 2014).

11 Van Tol et al., Air Sea Battle, pp. xi-xii.

The overall Chinese strategy appears designed to inflict substantial losses on U.S. forces in a rapid initial attack to demonstrate the United States' inability to defend its allies. Iran appears to be implementing a similar strategy to counter U.S. operations in the Persian Gulf.

Iran appears to be implementing a similar strategy to counter U.S. operations in the Persian Gulf. It combines improvised weapons such as explosive-laden boats with advanced capabilities such as ASCMs, ASBMs, and midget submarines "to deny or limit the US military's access to close-in bases and restrict its freedom of maneuver through the Strait of Hormuz."¹² Iran's A2/AD strategy is not, in itself, a war-winning strategy,¹³ but by "significantly raising the costs or extending the timelines of US military intervention [this strategy] may create a window of opportunity for Iran to conduct acts of aggression or coercion."¹⁴

Other countries will be able to field elements of an A2/AD force posture as the systems comprising it become cheaper, more automated, and easier to operate thanks to improved computer processing and incorporation of consumer electronics. Surface combatants will need to continue defending themselves and noncombatants against improving anti-ship weapons while enhancing their ability to destroy weapons-launching platforms on and under the water, in the air, and on the ground.

Instability will Persist as Indirect Conflicts Proliferate

The last quarter-century witnessed a higher incidence of conflict in Europe, the Middle East, and South Asia than occurred in the latter period of the Cold War. The National Intelligence Council predicts this trend will persist through 2030.¹⁵ In particular, the Middle East and South Asia include a large percentage of countries with "lagging economies, ethnic affiliations, intense religious convictions, and youth bulges"¹⁶—conditions that increase the likelihood of internal conflict.¹⁷

A growing portion of this instability results from indirect forms of conflict. In the last decade, countries pursuing aggression against their neighbors increasingly shifted from direct military action toward the use of proxy or paramilitary

- 12 Mark Gunzinger and Chris Dougherty, *Outside In: Operating from Range to Defeat Iran's Anti-Access and Area-Denial Threats* (Washington, DC: Center for Strategic and Budgetary Assessments, 2011), pp. 21–22.
- 13 Caitlin Talmadge, "Closing Time: Assessing the Iranian Threat to the Strait of Hormuz." *International Security*, 33, No. 1, 2008, pp. 82–117.
- 14 Gunzinger and Dougherty, *Outside In*, pp. 21–22.
- 15 National Intelligence Council, Global Trends 2030: Alternative Worlds (Washington, DC: National Intelligence Council, 2012), p. 70, available at http://www.dni.gov/index.php/about/organization/ global-trends-2030.
- 16 National Intelligence Council 2020 Project, Mapping the Global Future (Washington, DC: Government Printing Office, 2004), pp. 97–98, available at http://www.dni.gov/files/documents/ Global%20Trends_Mapping%20the%20Global%20Future%202020%20Project.pdf.
- 17 Ibid.

forces and "lawfare."¹⁸ This dynamic is apparent in the recent actions of China and Russia toward its neighbors.

The regions likely to experience increased conflict over the next decade include many U.S. allies and partners and key maritime crossroads such as the Gulf of Aden and Luzon Strait. Calls for U.S. surface combatants will likely increase to defend shipping from criminals and terrorists and to train friendly nations to protect their territory, citizens, resources, and infrastructure.

Budgets are Projected to be Flat or Declining Relative to Inflation

The Navy's resources for improving surface fleet capability or capacity, however, are likely to be constrained. The Budget Control Act of 2011 (BCA) and the Bipartisan Budget Act of 2013 (BBA) cap overall defense budgets through 2021; these caps call for the defense budget to bottom out in 2016 and then rise at approximately the rate of inflation. The Department of Defense's (DoD) budget constraints appear unlikely to change without the emergence of a significant new national security concern. Further, some analysts assess the budget caps could be a "ceiling" for future defense spending, rather than a temporary constraint, due to continued pressure on federal budgets from nondiscretionary spending such as Medicare and Social Security.¹⁹

The current budget drawdown is likely to affect recapitalization and modernization to a greater degree than previous drawdowns, placing additional pressure on the Navy's ability to evolve the surface fleet. While the overall percentage reduction imposed by the BCA/BBA budget caps is consistent with previous drawdowns,²⁰ the amount of the drawdown to be borne by personnel reductions will be much smaller,²¹ which will shift more of the budget reduction onto procurement and research and development (R&D) accounts. This will be exacerbated when DoD begins to shift some activities being paid for with supple-

¹⁸ In this paper, lawfare refers to "the strategy of using—or misusing—law as a substitute for traditional military means to achieve an operational objective." See Charles J. Dunlap Jr., "Lawfare Today," *Yale Journal of International Affairs*, Winter 2008, p. 146. Original citation: Nils Petter Gleditsch et al., "Armed Conflict 1946–2001: A New Dataset," *Journal of Peace Research*, 39, No. 5, 2002. Latest presentation: Lotta Themnér and Peter Wallensteen, "Armed Conflict, 1946–2013," *Journal of Peace Research*, 51, No. 4, 2014.

¹⁹ Todd Harrison, *Chaos and Uncertainty: The FY 14 Defense Budget and Beyond* (Washington, DC: Center for Strategic and Budgetary Assessments, 2013).

²⁰ Previous drawdowns were after the Korean War (51 percent), Vietnam (25 percent), and the Cold War (35 percent). The drawdown imposed by the BCA/BBA is about 35 percent from a post–Cold War high in 2010. Ibid.

²¹ In those previous drawdowns, personnel end strength fell 32 percent after the Korean War, 43 percent after the Vietnam War, and 35 percent after the Cold War. The planned personnel reduction in the current drawdown is 7 percent. In particular, Navy end strength will remain nearly constant during this drawdown. Ibid.

mental Overseas Contingency Operations (OCO) funding into the Services' base budgets.

The Navy is also not likely to receive a greater portion of a flat or declining DoD budget. Some analysts and former defense officials recommend²² the Service's slice of the shrinking budget pie increase because naval forces are important to defense priorities such as the Asia-Pacific rebalance and "small footprint" counterterrorism operations described in the 2014 Quadrennial Defense Review (QDR).²³ However, such a shift would be inconsistent with the history of the past seventy years—it happened only once since World War II.²⁴ Moreover, the president's FY 2015 budget proposal maintains consistent budget shares between the Services through FY 2019.

Addressing Competing Interests

The most important of these trends for the Navy to address in a new surface warfare concept is improving and proliferating A2/AD networks. Countering these networks and establishing sea control will require better surface fleet weapons and sensors than today and new operating concepts to employ them. But even with these improvements, large surface combatants will not be available to gain and maintain sea control unless the Navy implements new ways to mitigate its SSC shortfall and restore the division of labor between large and small surface combatants. Otherwise, more CGs and DDGs will be pressed into conducting traditional SSC missions of training, maritime security, and security cooperation.

The following chapters describe an overall approach to implement a new central concept for surface warfare and enable the surface fleet to address challenges from anti-access threats, instability, and flat or declining budgets.

22 National Defense Panel, Ensuring a Strong U.S. Defense for the Future (Washington, DC: U.S. Institute of Peace, 2014), available at http://www.usip.org/sites/default/files/Ensuring-a-Strong-U.S.-Defense-for-the-Future-NDP-Review-of-the-QDR.pdf, accessed August 11, 2014.

- 23 DoD, *Quadrennial Defense Review 2014* (Washington, DC: DoD, 2014), available at http://www.defense.gov/pubs/2014_Quadrennial_Defense_Review.pdf.
- 24 President Eisenhower's "New Look" of the mid-1950s was the only strategy that drove a significant change in Service budget shares during peacetime. Otherwise budget shares only changed during wars when Army funding was increased to support ground operations. After each war, Army's budget share returned roughly to its prewar level. See Harrison, *Chaos and Uncertainty*.

CHAPTER 2

Offensive Sea Control: A Central Concept for Surface Warfare

The emerging strategic environment is likely to present U.S. forces with a set of new or intensifying operational challenges during a time of constrained or declining funding. Most importantly, within the next decade the surface fleet will have to adjust from treating sea control as a "given" to having to fight for it in the face of growing A2/AD threats. Anti-ship missiles, in particular, will almost certainly continue to improve and be deployed in greater numbers on the ships, aircraft, and submarines of U.S. rivals, as well as on land. To gain sea control in this environment, the surface fleet will need to move from defeating enemy weapons (defensive sea control) to defeating enemy platforms before they can attack (offensive sea control).

Fortunately, a combination of new capabilities—both those we can incorporate over the next ten years as well as those promising major payoffs that we can develop now—and new operational concepts will enable the surface fleet to improve its ability to conduct offensive and defensive sea control. Just as important, they can also better enable the surface fleet to conduct a range of constabulary missions.

This chapter describes how the surface fleet can return to its Cold War focus on offensive sea control and reestablish the division of labor between large and small surface combatants. Capability and programmatic implications of these initiatives are described in Chapter 3. While the recommendations in this and the following chapter would remain largely intact in a broader analysis of the joint force beyond surface combatants, they would likely be adjusted to reflect interdependencies between the surface fleet and other forces.

Enduring Importance of Sea Control

Today's surface fleet missions and division of labor emerged during World War II as the fleet's employment and composition changed to exploit new technologies and counter the improving ability of Axis aircraft and submarines to contest Allied sea control. As the war progressed, battleships were used less for their original mission of SUW and more for AAW to defend the fleet,²⁵ whereas cruisers shifted from their traditional scouting and commerce raiding missions to become air defense platforms for carrier task forces. Destroyers, used as outer escorts for carrier task forces and to protect merchant convoys, were too few to counter the German submarine threat and lacked the capability to stop Japanese dive-bombers. The Navy responded by building larger destroyers with more AAW guns and augmenting them with smaller ASW and MIW-oriented combatants such as destroyer escorts, minesweepers, corvettes, and frigates. These developments were designed to improve Allied sea control, but they also established a distinction between larger, multi-mission surface combatants such as cruisers and destroyers and smaller, limited-mission combatants such as frigates.

The Cold War further refined this distinction and the surface fleet's mission priorities in the face of a new sea control threat. In the 1970s, the Soviet Union began deploying new SUW capabilities designed to prevent American convoys from reinforcing and resupplying NATO allies and hinder the U.S. fleet's ability to attack the U.S.S.R's northern, southern, and eastern flanks.²⁶ In particular, Soviet submarine- and surface-launched ASCMs threatened to push U.S. carrier battle groups (CVBG) too far away for naval aircraft to strike targets inside the Soviet Union as prescribed in the U.S. maritime strategy.²⁷

The Navy planned to counter the improving Soviet threat by destroying enemy bombers, ships, and submarines before they could launch ASCM attacks, thereby thinning the density of missiles to be within the capacity of the CVBG's defenses. This sea control approach included the "Outer Air Battle" concept in which F-14 fighters guided by E-2C early-warning aircraft would intercept incoming Soviet bombers²⁸ while P-3C maritime patrol aircraft and submarines

²⁵ Bernard Brodie, A Guide to Naval Strategy (Princeton, NJ: Princeton University Press, 1944).

²⁶ The Soviet Navy deployed the first ASCM capable of submerged launch (SS-N-7) in 1968 and its first supersonic ship/sub-launched ASCM (SS-N-22) in 1970.

²⁷ Joseph Metcalf, "Surface Warfare and Surface Warriors," U.S. Naval Institute Proceedings, October 1985, pp. 68–80; and John Hattendorf and Peter Swartz, eds., U.S. Naval Strategy in the 1980s: Selected Documents, Naval War College Newport Papers, No. 33 (Newport, RI: Naval War College Press, December 2008).

²⁸ Michael Smith, *Antiair Warfare Defense of Ships at Sea*, professional paper 319 (Alexandria, VA: Center for Naval Analysis, September 1981).

would engage Soviet submarines and surface ships outside ASCM range. Because of the severity of the Soviet threat, these operations were the main effort of the carrier air wing, escort submarines, and patrol aircraft until U.S. CVBGs were within striking range of the Soviet Union. The surface fleet planned to complement the Outer Air Battle using a portfolio of new sea control capabilities that would act "up, out, and down" to defeat Soviet missiles, aircraft, surface ships, and submarines that made it past the fleet's outer defenses but before they could reach the CVBG. Specifically:

- "Up"—engage incoming aircraft and missiles using the Aegis combat system, which combined "kinetic" weapons such as the SM-2 interceptor²⁹ and "non-kinetic" weapons such as the SLQ-32 electronic warfare system;³⁰
- "Out"-attack enemy surface ships with Harpoon ASCMs;31 and
- "Down"—find or drive off submarines using new active helicopter sonars and passive shipboard towed array sonars and attack them with the upgraded Mk-46 Mod 5 lightweight torpedo.³²

Although portrayed as a vision for the whole surface fleet, this framework applied mainly to large surface combatants—CGs and DDGs. SSCs such as minesweepers, patrol craft, and FFGs would contribute to sea control, but their focus would predominantly be on escort operations and peacetime missions such as maritime security and training allied and partner navies.

Late in the Cold War the surface fleet added another mission with the introduction of the Tomahawk land attack cruise missile (LACM). The Tomahawk gave surface combatants an independent long-range strike capability and presented the Soviets with the threat of attacks from more directions than possible with U.S. carrier-based aircraft alone. This increased Soviet concerns about air defense and drove additional Soviet surface-to-air interceptor investments.

The LACM also began a shift toward power projection that took the surface force away from its previous focus on sea control. The collapse of the Soviet Union in 1991 hastened this shift by ushering in what Robert Work characterizes as a new

^{.....}

²⁹ Throughout this study, the term "interceptor" describes a missile used to shoot down another missile or an aircraft. "Missile" denotes all other airborne weapons with propulsion systems.

³⁰ AEGIS Combat Systems Operational Support Group, AN/SLQ-32(V) Operator's Handbook: Volume 1, technical document 376 (San Diego, CA: Naval Ocean Systems Center, August 29, 1980), available at http://www.dtic.mil/dtic/tr/fulltext/u2/a090473.pdf.

³¹ In the 1980s, the Navy also briefly fielded the Tomahawk anti-ship missile (TASM). Because it did not have a seeker (unlike Harpoon), TASM required external guidance to reach the target, which proved problematic at long range in contested environments.

³² Metcalf, "Surface Warfare and Surface Warriors."

Navy leaders and analysts today assess that the fleet's CGs and DDGs do not have the AAW capacity to defend against modern air and missile threats, such as those posed by China, and lack the reach to defeat submarines and surface ships before they can attack with sophisticated, longrange ASCMs.

"Transoceanic Era" for the U.S. military.³³ Rather than emphasizing the garrisoning of its forces overseas to deter and contain Soviet aggression as they had during the Cold War, the United States would adapt its military to become more expeditionary and respond to crises and acts of aggression by deploying from a much smaller number of allied or U.S. bases. In this era, ships and submarines with LACMs became the force of choice for small-scale strikes against terrorists or rogue states because they were already continuously overseas and did not require Washington to secure permission for use or overflight of other states' territory. With no maritime rivals, strike became an increasingly important mission for Navy leaders interested in showing the fleet's relevance.

With new missions to address and a benign maritime threat environment, less investment went into surface fleet ASW and SUW capabilities or next-generation AAW weapons. But sea control threats, particularly ASCMs, continued to advance (see Figure 1). Navy leaders and analysts today assess that the fleet's CGs and DDGs do not have the AAW capacity to defend against modern air and missile threats, such as those posed by China,³⁴ and lack the reach to defeat submarines and surface ships before they can attack with sophisticated, long-range ASCMs.³⁵ This leaves them unable to defend themselves, much less defend the joint force or establish sea control in contested waters.

33 The original Oceanic Era, noted by Samuel Huntington, began in the 1900s when the U.S. military began conducting operations overseas instead of primarily in North America. See Robert Work and Andrew Krepinevich, A New Global Defense Posture for the Second Transoceanic Era (Washington, DC: Center for Strategic and Budgetary Assessments, 2007).

.....

- 34 While Iran does not have the military industrial base and technical capability of Russia or China, it is fielding some ASCM and AAW systems purchased from those countries and can exploit its geography to gain an outsized effect from relatively short-range and unsophisticated systems. For example, at the Strait of Hormuz, it could mass large numbers of relatively simple ASCMs that would be effective against modern air defenses because of their numbers.
- 35 John Keller, "How Vulnerable are U.S. Navy Vessels to Advanced Anti-Ship Cruise Missiles?" Military and Aerospace Electronics (blog), July 9, 2013, available at http://www.militaryaerospace.com/blogs/ aerospace-defense-blog/2013/07/how-vulnerable-are-u-s-navy-vessels-to-advanced-anti-ship-cruisemissiles.html; John Patch, "Fortress at Sea? The Carrier Invulnerability Myth," U.S. Naval Institute Proceedings, January 1, 2010, available at http://www.usni.org/magazines/proceedings/2010-01/ fortress-sea-carrier-invulnerability-myth; and Jonathan Greenert, U.S. Navy Chief of Naval Operations, Statement before the House Armed Services Committee, "Planning for Sequestration in FY2014 and Perspectives of the Military Services on the Strategic Choices and Management Review," September 18, 2013.



FIGURE 1. U.S. AND POTENTIAL ENEMY ASCM RANGES

Improvements in the number and capability of antiaccess weapons suggest that to achieve sea control in the future, the Navy should return to its Cold War approach —but updated for 21st-century challenges.

Offensive Sea Control: The 21st Century's "Outer Air Battle"

Navy leaders characterize the Service's current role in joint warfighting as initially gaining and sustaining access for the joint force³⁶ as described in the DoD's Air-Sea Battle concept.³⁷ This responsibility often falls to naval forces because they can conduct sustained large-scale operations from an offshore sanctuary outside the range of enemy land-based weapons and are often the first element of the joint force to arrive at the conflict area. In comparison, air forces require fixed land bases that may not initially be positioned or prepared to support sustained operations. The surface fleet's main contribution to access is intended to be sea control, as described in the Naval Operations Concept.³⁸ While ground, air, and other naval forces will likely contribute to sea control in a variety of situations, they also have competing power-projection missions such as amphibious assault, strike, and supporting surveillance and reconnaissance. Only surface combatants will retain sea control as their primary responsibility.

36 Greenert, "Planning for Sequestration in FY2014"; Christopher Cavas, "China Dominates Naval Strategy Discussion," *Defense News*, June 17, 2014.

38 U.S. Navy, Naval Operations Concept 2010.

³⁷ The Air-Sea Battle concept is subordinate to the Joint Operational Access Concept and focuses on defeat of A2/AD threats in air and maritime areas adjacent to and in the conflict area; see DoD, *Air-Sea Battle* (Washington, DC: DoD, 2013), available at http://www.defense.gov/pubs/asbconceptimplementation-summary-may-2013.pdf.

Improvements in the number and capability of anti-access weapons suggest that to achieve sea control in the future, the Navy should return to its Cold War approach of defeating enemy aircraft, ships, submarines, and shore-based missile launchers before they are within weapons range of U.S. forces-but updated for 21st-century challenges. In particular, enemy anti-ship missiles are more capable today than during the Cold War. The latest ASCMs are generally faster and have more sophisticated maneuvers than Soviet missiles, while the range of ASBMs (which did not exist in the Cold War) can reach 800 to 1,000 nm.³⁹ Warfighting scenarios will also be more stressing on naval forces compared to the Cold War. Against the Soviets, naval forces were expected to open ancillary fronts to the main effort in Central Europe and could devote all their attention to gaining sea control through approaches such as Outer Air Battle. In future scenarios such as against Iran in the Persian Gulf, China in the Western Pacific, and North Korea on the Korean Peninsula, naval forces will provide a significant portion of joint force power projection. This will therefore limit the ability of carriers, amphibious ships, and submarines to contribute to sea control.40

The 21st-century version of Outer Air Battle is offensive sea control.⁴¹ This differentiates it from defensive sea control, which consists of defending forces from adversary weapons. It also differentiates the new concept from Outer Air Battle, which focused mainly on defeating enemy aircraft; offensive sea control is intended to defeat the whole range of enemy weapons platforms.

Submarines, amphibious forces, and aircraft carriers are expected to have greater and more immediate power-projection responsibilities in likely future scenarios than in the Cold War. Therefore, in offensive sea control, surface combatants will need to be able to defeat enemy aircraft, submarines, ships, and land-based missile launchers outside enemy ASCM range with minimal support, such as targeting, from other naval forces (See Figure 2).

39 At those ranges, however, enemy forces will highly depend on long-range surveillance and communication systems to provide targeting information to missiles. Surface combatants would be more effective in targeting these enablers, rather than planning to attack mobile ASBM launchers themselves from 800–1,000 nm away. For a description of the threat, see DoD, *China Military Modernization*.

- 40 The limited involvement of naval forces indicates ground forces, in particular, may be able to contribute to sea control to a greater degree than during the Cold War, as they will not be involved in these scenarios in large numbers for the first several weeks of the conflict, or (in the case of Iran and China) perhaps not at all. This study does not address opportunities for ground forces to conduct counter-maritime missions, but other analytic work is underway in this area.
- 41 Thomas Rowden, "Surface Warfare Must Take the Offensive," *The Diplomat*, June 28, 2014.



FIGURE 2. OFFENSIVE SEA CONTROL

Targeting from other U.S. or allied forces will be essential since enemy ASCMs have ranges of about 150 nm or more, which is beyond the horizon of surface combatant radars and beyond normal sonar detection range. To find enemy submarines outside ASCM range, surface combatants will rely on information from Sound Surveillance System (SOSUS) arrays on the ocean floor, ocean surveillance (T-AGOS) ships equipped with low-frequency active acoustic (LFAA) sonar, and embarked helicopters with active sonar. The contact information from these sources will not be highly precise, but would be enough to cue other, more precise, sensors or enable long-range attacks intended to suppress the submarine's operations or compel it to evade. Such suppression attacks exploit the three major disadvantages of submarines: they are relatively slow when trying to be stealthy; have no self-defense systems; and lack the sensor range and precision to delay evasion until it is evident that an incoming weapon could hit the submarine. Consequently, once attacked (even unsuccessfully), a submarine generally will need to evade the weapon, clear the area, and reestablish its stealth before continuing with the mission. Suppression will often be enough to achieve the desired effect as part of offensive sea control, but compelling the submarine to evade will also make it more detectable to more precise sensors that may enable a more lethal ASW prosecution. This overall ASW approach was employed successfully in both world wars and the Cold War.42

⁴² John Stillion and Bryan Clark, Understanding Battle Network Competitions (Washington, DC: Center for Strategic and Budgetary Assessments, 2014). This paper was completed for DARPA under contract No. HR0011-14-C-0028 and is publicly available under Distribution Statement "A" (approved for public release, distribution unlimited).

Offensive sea control will enable every surface combatant to be a potential offensive threat to the enemy as either a sensor or weapons-launch platform. Surface combatants will target enemy surface ships and aircraft in offensive sea control using netted fire control systems such as Cooperative Engagement Capability (CEC) between Aegis ships, Naval Integrated Fire Control-Counter Air (NIFC-CA) between Aegis ships and E-2D early-warning aircraft, and Link-16 between MQ-4 Triton Broad Area Maritime Surveillance (BAMS) unmanned air vehicles. These systems enable participating ships and aircraft to share sensor data in real time, so a surface combatant can attack a target beyond the range of its own sensors. They can also support unwarned attacks by enabling a platform in the air or forward on the surface to passively locate an enemy platform through its radar or communication emissions and relay target information back to surface combatants that can launch long-range attacks from over the horizon.

Once enemy ships, submarines, aircraft, or shore-based launchers are located, surface combatants can engage them with long-range weapons. These attacks may not need to destroy the enemy platform to be successful. If they simply disrupt enemy SUW operations, these attacks may enable the fleet's freedom of action and stimulate reactions by the enemy that provide improved target information to support a re-attack. And if engagement outside enemy ASCM range is not successful, surface combatants could mount an effective defense against ASCMs using a high-density defensive AAW umbrella (described further below) while continuing to engage enemy strike platforms.

If implemented as designed, offensive sea control will enable every surface combatant to be a potential offensive threat to the enemy as either a sensor or weapons-launch platform. This will make the enemy's targeting problem more challenging by distributing the surface fleet's offensive capacity over many ships. It will also enable a wide range of new surface action group (SAG) configurations that combine large and small surface combatants to conduct offensive sea control operations.

There are several major shortfalls that need to be addressed in order to implement the concept of offensive sea control. These shortfalls imply the need for new surface fleet concepts and capabilities, to include:

- Increasing individual surface ship offensive weapon capacity: Today, CG and DDG vertical launch system (VLS) magazines are filled predominantly with weapons that are only useful for defensive AAW. A new concept for sea-based AAW is needed to free up VLS space for long-range offensive ASW, SUW, and AAW weapons.
- <u>Increasing air defense capacity and improving air defense cost ratios</u>: The fleet currently relies on a layered air defense approach in which the longest-range layers are both most likely to be used and most disadvantageous from

a cost and capacity perspective. A new defensive AAW concept is needed to increase the density of the air defense screen and improve the cost exchange between U.S. air defenses and enemy ASCMs.

- <u>Increasing the range of offensive weapons on surface ships</u>: Today's surface fleet lacks weapons with the range to attack aircraft, ships, and submarines outside enemy ASCM range. A new approach to weapons development is needed to increase the range of ASW, SUW, and AAW weapons. This new approach should also be designed to help surface combatants carry more weapons on each ship.
- Expanding overall surface fleet offensive capacity: The offensive weapons capacity per large surface combatant will probably continue to be constrained by the capacity needed for air defense until new systems such as the electromagnetic railgun and lasers are fully fielded. New concepts are therefore needed to expand the number of surface combatants able to participate in offensive sea control operations.
- <u>Enhancing SSC capacity</u>: Growing demands for constabulary missions and the current shortfall in SSCs will likely pull CGs and DDGs away from offensive sea control operations. New approaches are needed to conduct traditional SSC missions and reestablish the surface combatant division of labor.

New Concept for Sea-based Anti-air Warfare

The first step toward implementing offensive sea control is to enable surface combatants to carry more offensive weapons. The main battery of a CG or DDG is its VLS magazine, which has a finite capacity and currently cannot be reloaded at sea.⁴³ With a standard peacetime missile loadout, on average only about a third of surface fleet VLS cells are devoted to missiles such as the Tomahawk or SM-6 that could be considered offensive (since they can engage enemy weapon launchers before they are in range to attack). Offensive SUW, AAW, ASW, and strike weapons compete for space in the VLS magazine with defensive AAW weapons, so each cell not needed for air defense could be devoted instead to attacking ships, aircraft, submarines, or launchers and sensors ashore.

War at sea today and in the future will likely include large ASCM salvos from ships, submarines, and aircraft and a smaller number of ASBM attacks from

⁴³ Flight 1 DDG-51s have 90 VLS cells, whereas Flight II and IIa DDG-51s have 96 VLS cells; a CG has 122 cells. There are several potential approaches for at-sea reloading that could be pursued to increase the effective capacity of a large surface combatant.

shore. Today's long-range ASCMs cost from \$1 million-\$3 million,⁴⁴ whereas an ASBM costs about \$6 million-\$10 million;⁴⁵ an adversary could be expected to launch dozens of them in each attempt to disable or destroy a \$1 billion-\$2 billion DDG or the \$11 billion carrier it defends.

Defeating large ASCM salvos is expected to require many VLS-launched interceptors, but the surface fleet could reduce this air defense "overhead" by adopting a new approach to sea-based AAW. Large surface combatants today employ an integrated, layered AAW approach to protect themselves and their defended ships (carriers, amphibious ships, etc.). This approach is designed to engage enemy aircraft and missiles multiple times starting from long range (from 50 nm to more than 100 nm) through medium range (about 10nm to 30 nm) to short range (less than about 5 nm). Each layer is serviced by a different set of interceptors, with those for the long-range layer (e.g., SM-2 and SM-6) being preferentially used; they are also the largest (taking up the most VLS space) and often the most expensive.⁴⁶ The short-range layer is addressed by individual ships' self-defense systems. Electronic warfare jammers and decoys are also used from medium to short range to defeat missile seekers. The new approach presented below calls for separating the missions of the long-range and medium-range AAW layers. It would shift surface combatant long-range AAW capabilities to focus on destroying enemy aircraft as part of offensive AAW and establish a dense, medium-range defensive AAW umbrella designed to defeat enemy missiles.

The current layered defensive AAW approach puts surface combatants on the wrong end of weapon and cost exchanges. Figure 3 shows the number of ASCMs that can be defeated with a hundred ship-based interceptors, which is close to a DDG-51's total VLS capacity of ninety-six cells. As the figure shows, using today's standard shot doctrine of "shoot, shoot, look, shoot"⁴⁷ (SS-L-S),

- 45 Two Chinese analysts, Qiu Zhenwei and Long Haiyan, published this estimate in 2006. See Andrew S. Erickson, "Ballistic Trajectory—China Develops New Anti-Ship Missile," Jane's Intelligence Review, 22, January 4, 2010.
- 46 Navy Air and Missile Defense Command (NAMDC), The Navy Update and Role in Integrated Air and Missile Defense, Power Point Presentation (Dahlgren, VA: NAMDC, August 31, 2009), available at http://www2.navalengineers.org/sections/flagship/documents/comrelbrief11aug09part2.ppt.
- 47 A common U.S. air defense tactic is to shoot two interceptors at an incoming missile, look for successful engagement, and then shoot again if necessary. Therefore, at least two interceptors are expended on every incoming missile.

⁴⁴ An Indian/Russian BrahMos ASCM is \$2 million-\$3 million. See "Indian Army Demands More Missile Regiments," *Strategy Page* (blog), January 26, 2010, available at: http://www.strategypage. com/htmw/htart/articles/20100126.aspx. A U.S. Tomahawk LACM (comparable in sophistication to many ASCMs) is \$1.3 million; see DoD, *Fiscal Year (FY) 15 Budget Estimates: Weapons Procurement, Navy* (Washington, DC: DoD, 2014), available at http://www.finance.hq.navy.mil/fmb/15pres/wpn_ book.pdf.

fewer than fifty incoming missiles could be engaged regardless of the interceptor's probability of "killing" the missile (also known as Pk for "kill probability" or "probability of kill"). A S-L-S shot doctrine may enable more ASCMs to be engaged, but would increase risk because unless the ASCM is initially engaged at long range (which would require OTH targeting data), it may reach the target before a second engagement can occur. Point defense and EW systems do not enable the ship to reduce the number of interceptors shot at incoming ASCMs because they cannot defeat the ASCM until late in flight; instead they are used as a last resort to stop "leakers" from reaching the defended ship. As a result, the complete VLS capacity of a DDG (if all devoted to air defense) would be consumed against fewer than fifty ASCMs—missiles that would cost the enemy about 2 percent the price of a DDG.⁴⁸

Better long-range interceptors will not improve the weapon exchange and only exacerbate the Navy's cost disadvantage.



FIGURE 3. NUMBER OF ASCMS DEFEATED BY A MAGAZINE OF 100 INTERCEPTORS

Because it would be too risky to adjust air defense shot doctrine, better longrange interceptors will not improve the weapon exchange and only exacerbate the Navy's cost disadvantage. The medium to long-range SM-6 interceptor that enters service in FY 2015 is faster, longer range, more maneuverable, and has a better seeker than the SM-2. This would likely provide the SM-6 a higher Pk than SM-2 against any given ASCM. But an SM-6 interceptor costs about

48 A Flight II or IIa DDG-51 has ninety-six VLS cells. A nominal wartime loadout would be forty-eight SM-2 interceptors, sixteen SM-6 interceptors, thirty-two ESSMs (eight cells), eight ASW rockets, and sixteen Tomahawk LACMs. \$4 million, whereas an SM-2 costs about \$680,000⁴⁹ and a typical advanced ASCM costs about \$2 million-\$3 million.⁵⁰ Given a SS-L-S firing doctrine, each defensive engagement using SM-6s will cost two to four times that of the ASCM it is intended to defeat. Alternatively, four medium-range SM-2 interceptors would cost about the same as the ASCM and would likely be more effective than two SM-6s. This approach would address the cost exchange problem, but would worsen the weapons exchange problem.

A defensive AAW scheme centered on medium-range (10–30 nm⁵¹) interceptors such as the Evolved Sea Sparrow Missile (ESSM) would address both the weapons and cost exchange challenges. ESSM engagements would be cheaper⁵² than using the SM-6—even if an extra ESSM is needed to account for them having a lower Pk. Moreover, the ESSM Block 2 that will debut in 2020 will have a fully active seeker similar to the SM-6, and will likely boast a similar Pk. Medium-range interceptors such as ESSM are also smaller than longer-range interceptors and can be placed in "quad packs" in each VLS cell, quadrupling the ship's defensive AAW capacity or enabling fewer VLS cells to be assigned to defensive AAW weapons. EW jamming, deception, and decoy systems will complement medium-range interceptors from 10–30 nm (depending on the missile's altitude), and EW performance will also improve over the next decade as the Navy continues to field upgrades to the SLQ-32 EW system common to all large surface combatants.

This new AAW concept acknowledges the challenges in obtaining OTH targeting data in an A2/AD environment where data links could be jammed. Detecting a sea-skimming ASCM at the SM-6's maximum range would require a surface sensor positioned more than 100 nm forward from the surface combatant or an airborne sensor at more than 10,000 feet altitude. The proposed concept shifts the defensive AAW focus to a range in which a CG or DDG can

49 DoD, Fiscal Year (FY) 15 Budget Estimates: Weapons Procurement, Navy.

50 This is the cost of the Russia/India codeveloped BrahMos ASCM based on the Russian SS-N-26 Yahkont ASCM. The BrahMos ASCM is being actively marketed to Latin American and Southeast Asian militaries; see "Indian Army Demands More Missile Regiments," 2010; and "BrahMos Missile Can Be Exported to Southeast Asian, Latin American Nations," *Economic Times*, August 3, 2014. For comparison, a Tomahawk costs about \$1.3 million; see DoD, *Fiscal Year (FY) 15 Budget Estimates: Weapons Procurement, Navy.*

- 51 An escort will need defensive AAW capabilities that reach a least 20–30 nm to be able to defend nearby ships. For safety, Navy ships normally maintain at least 3–5 nm between ships. An ASCM travelling at Mach 2 will take about forty-five seconds to reach a targeted ship 20 nm away. An escort ship could engage the incoming ASCM with ESSMs at that range from 10 nm on the other side of the targeted ship. These engagements would occur more than 5 nm from the defended ship, after which the defended ship's point defenses—close-in weapon system (CIWS) and Rolling Airframe Missile (RAM) would be in range to engage "leakers" that are not defeated by the ESSMs.
- 52 An ESSM costs about \$1.3 million; see DoD, Fiscal Year (FY) 15 Budget Estimates: Weapons Procurement, Navy.

use its organic (including embarked helicopter) sensors to detect incoming missiles. For example, using onboard sensors, a DDG or CG could detect an incoming sea-skimming ASCM at about 10 nm away. Using its embarked helicopter at a nominal altitude of 800 feet, the ship could detect a sea-skimming ASCM at about 30 nm. Higher-altitude ASCMs and aircraft could be detected at longer ranges.

A medium-range defensive AAW approach will also better enable the surface fleet to integrate new weapons such as lasers and EMRGs that will likely be mature in the early to mid-2020s.⁵³ Because they do not require VLS cells, increasing the use of these systems for defensive AAW will enable the Navy to shift additional VLS capacity to offensive weapons.⁵⁴ Lasers and EMRG are most effective at medium ranges, and thus are consistent with a shift in emphasis toward EW and medium-range interceptors such as ESSM in providing defensive AAW. Lasers operate in a straight line from the weapon to the target and thus are limited by the horizon from engaging an incoming sea-skimming ASCM at more than 10–15 nm. Further, the shipboard lasers expected to be mature in the mid-2020s will only have the power to be effective against ASCMs out to a range of about 10 nm.⁵⁵

An EMRG will have a longer maximum range than lasers, but is also constrained by physics to shorter ranges for defensive AAW. The 32-megajoule (MJ) EMRG the Navy is testing ashore today can launch a projectile at Mach 7 that will travel about 110 nm surface-to-surface and hit a target or burst into fragments. The projectile can be GPS-guided to a certain location and could have a seeker and control system that would enable the projectile to maneuver slightly to strike a moving target such as an incoming missile. Since the EMRG projectile is unpowered, it travels a generally ballistic path and slows throughout its flight, which will limit its effective range for defensive AAW to much less than 110 nm. For example, the EMRG could theoretically engage a low-flying ASCM at close to its maximum range since the missile is essentially a surface target. But the EMRG projectile time of flight will be about two minutes—time during which a modern supersonic ASCM is likely to maneuver, and the projectile cannot correct for significant changes in target position. At an

- 54 Lasers and EMRG would also be possible point defense weapons at short (<5 nm) range. This application, however, would not address the shortage of VLS cells on surface combatants.
- 55 Ronald O'Rourke, *Navy Shipboard Lasers for Surface, Air, and Missile Defense: Background and Issues for Congress*, R41526 (Washington, DC: CRS, July 31, 2014), available at http://fas.org/sgp/crs/weapons/R41526.pdf. Also, as lasers become more common in defensive AAW, potential adversaries may begin attempting to harden missiles against laser attack.

⁵³ Ronald O'Rourke, Navy DDG-51and DDG-1000 Destroyer Programs: Background and Issues for Congress, RL 32109 (Washington, DC: CRS, July 31,2014), available at http://fas.org/sgp/crs/ weapons/RL32109.pdf.

engagement range of about 30 nm, the EMRG projectile will reach the incoming missile in about twenty seconds, allowing much less time for the missile to maneuver. Unlike the sea-skimming ASCM, an ASBM warhead is likely to be diving toward the ship from high altitude, which will require the EMRG projectile to go up to meet it. The 32-MJ EMRG projectile will gain altitude for the first 20–30 nm of its travel, enabling it to engage incoming ASBM warheads at that range.

Laser and EMRG weapons, however, will not be able to completely replace interceptors or point defense systems. A laser defeats an incoming ASCM by burning through its casing, causing it to lose aerodynamic stability and veer off course, or damaging its seeker, so the ASCM cannot find its target. Too much moisture in the air may prevent the laser from transmitting enough energy to the ASCM, while clouds, dust, or fog can prevent the electro-optical directors that aim the laser from "seeing" the target. The EMRG is not affected by atmospheric effects but will require more electrical power than a CG or *Arleigh Burke* DDG can generate; it will have to be initially deployed on a separate vessel such as a joint high-speed vessel (JHSV) or *Zumwalt* DDG. And even when the required power levels are available, the EMRG rate of fire will only be six to ten shots per minute, which will limit the salvo size that can be engaged to between three and five missiles.⁵⁶

The proposed medium-range defensive AAW scheme (see Figure 4) would consist of lasers, EMRG, interceptors (e.g., ESSM), and EW systems engaging incoming missiles in a dense layer from 10–30 nm. This is far enough away for one surface combatant to protect another or to defend other ships such as a carrier or transport. It is also much more dense than today's layered air defense scheme, since each VLS cell shifted from SM-2s and SM-6s to ESSM provides four times the defensive AAW capacity; EMRG and lasers will add even greater capacity. Individual ship point-defense systems would engage "leakers" at 2–5 nm, but this constitutes self-defense rather than a defensive AAW layer.

⁵⁶ For example, a nominal ASCM speed is Mach 3.5 or about 2,500 kts, and EMRG projectiles will average about Mach 5 or about 3,600 kts. The ASCM will travel about 6 nm between EMRG shots if it has a ten-shot/minute firing rate. If the ASCM salvo is initially engaged at 30 nm, the EMRG will be able to shoot five times at the incoming salvo before it arrives at the ship. With a SS-L-S doctrine that enables at most three missiles to be engaged, and with a S-L-S doctrine at most five could be engaged.

FIGURE 4. NEW DEFENSIVE AAW SCHEME



Automated decision aids that match defensive AAW systems to incoming missiles will be an essential element of this scheme since multiple systems will be engaging incoming missiles at the same approximate range. These decision aids are inherent in the Aegis combat system but would need to be modestly upgraded to incorporate new systems such as lasers and EMRG. EMRG host platforms would likely need a network such as CEC installed to enable them to participate in the Aegis combat system.

A key barrier to implementing this new AAW scheme is cultural. Today's surface combatant commanders prefer defenses that can engage incoming missiles multiple times through multiple layers. This provides a false confidence, however. A layered approach that starts at long ranges (>100 nm) uses larger, more expensive interceptors preferentially and will consume defensive AAW capacity faster than a single medium-range defensive layer without substantially improving air defense effectiveness. The proposed defensive AAW approach will provide rapid engagements with prompt feedback to commanders, who can re-engage an incoming missile multiple times within the short-range layer using multiple systems guided by automated decision aids such as Aegis.

Offensive AAW is the other side of the new sea-based AAW approach. This is where long-range (50 nm to more than 100 nm) interceptors such as SM-6s are better suited. SM-6s, in particular, can engage enemy aircraft outside their ASCM range and are much less expensive than the aircraft they will destroy, producing a more advantageous cost exchange than using SM-6 against enemy ASCMs. Enemy aircraft also generally fly at higher altitudes than ASCMs, enabling them to be detected farther away by shipboard radars whose visibility is limited by the horizon. When available, the engagement range for offensive AAW could be enhanced by OTH targeting information via CEC or NIFC-CA.

This new approach to sea-based AAW would increase the capacity of surface combatants for defensive AAW and enable more of their VLS cells to host A layered approach that starts at long ranges uses larger, more expensive interceptors preferentially and will consume defensive AAW capacity faster than a single medium-range defensive layer without substantially improving air defense effectiveness. The surface fleet could get more effective capacity out of the VLS magazine by making each VLS weapon applicable to as many missions as possible. offensive AAW, SUW, and ASW missiles—two essential elements to the surface fleet regaining its ability for offensive sea control. The detailed programmatic implications of this change and resulting notional VLS cell allocation are described in Chapter 3.

New Approach to Weapons Development

Implementing offensive sea control fundamentally requires that surface combatants have offensive weapons with longer ranges than the enemy's ASCMs. The surface fleet lacks those weapons today, particularly in SUW and ASW (the SM-6 addressing this shortfall in AAW). Further, even if surface combatants deploy longer-range offensive weapons, they will be limited by the space available in their main battery, the VLS magazine.

The relevant metric to consider is the number of loaded VLS cells on station that can conduct the needed offensive mission. As the new AAW scheme discussed above is put into place, more VLS cells will become available for offensive weap-ons, but this may be a relatively small increase until non-VLS defensive AAW systems such as lasers and EMRG are widely fielded. To sustain more on-station offensive VLS capacity, the surface fleet should aggressively pursue two initiatives. First, surface combatants should establish the ability to reload missiles at sea. This would enable empty cells to be refilled and enable changing the missiles carried by the ship to comport with changing mission priorities.⁵⁷ Second, the surface fleet should work to extract more offensive capacity from each VLS cell by pursuing a new approach to weapons development that prioritizes three attributes:

- 1. Relevant capability to conduct offensive missions
- 2. Multi-mission versatility
- 3. Smaller physical size

The first attribute addresses the minimum capability needed to conduct offensive sea control. The surface fleet's most important shortfall, as noted above, is its current range disadvantage against the anti-ship missiles most likely to be employed against U.S. forces. This range disadvantage means U.S. ships today can conduct only defensive AAW, ASW, and SUW; they will already be inside the

⁵⁷ Based on experiments with prototype systems, VLS reloading will take six to eight hours. To be able to reload, the ship would likely need to leave the area in which it would be subject to ASCM attack or engage enemy ships, submarines, or aircraft (the "battle line"). This would nominally be 200 nm (the maximum effective range of most ship and sub-launched ASCMs), which would take about half a day each way at 15–20 kts (a surface combatant's economic speed). See Craig Hooper, "VLS Underway Replenishment: When Will the Navy Get Serious?" *Defense Tech*, June 10, 2010, available at http://defensetech.org/2010/06/10/vls-underway-replenishment-when-will-the-navy-get-serious/.
ASCM range of the enemy and will be compelled to respond to attacks rather than go on offense and engage the enemy from outside his reach. The Navy is addressing this shortfall as it develops the SM-6 interceptor, LRASM, and Next Generation Land Attack Weapon (NGLAW) to replace, respectively, the Cold War-era SM-2, Harpoon, and Tomahawk. These new weapons are intended to enable offensive operations, but they will not necessarily increase the VLS capacity of surface combatants.

The surface fleet could get more effective capacity out of the VLS magazine by making each VLS weapon applicable to as many missions as possible. The Navy's current and planned VLS weapons are generally dedicated to a single mission. If the mission focus of a surface combatant changes during a deployment, the ship cannot quickly adjust its weapons loadout to maximize capacity for the new mission since at-sea VLS reloading (if and when fielded) would take a ship off the "battle line" for one to two days. If most of its weapons were multimission, the ship could have just as much capacity for the new mission as for the previous one.

Further, the surface fleet could expand the actual capacity of the main battery by developing smaller weapons, such as ESSM, that can fit more than one to a VLS cell. Fielding a smaller missile, however, will generally require accepting shorter range, a smaller warhead, or both. Trends in threat weapon systems suggest the Navy should emphasize range at the expense of warhead size. Smaller warheads can be as effective as large ones by achieving "mission kills," where the target is disabled rather than destroyed. The more sophisticated A2/AD systems being fielded by potential adversaries such as Iran, Russia, and China use sensitive sensors, computer controls, and communication networks that are increasingly vulnerable to even small attacks, making them more susceptible to mission kills.

Some of the surface fleet's current missiles incorporate these attributes. The ESSM and SM-2 interceptors used for defensive AAW today also have surface attack modes not normally employed. The longer-range SM-6 does not have a surface attack mode, but the Navy is implementing a modification that would enable it to be guided by Global Positioning System (GPS) signals.⁵⁸ This could make the SM-6 useful for surface attack or strike missions, providing greater effective capacity from the VLS magazine.⁵⁹

^{58 &}quot;Navy, Raytheon Ready New Satellite-Guided SM-6 Variant," *Inside Defense*, July 2, 2014 available at http://insidedefense.com/Inside-the-Pentagon/Inside-the-Pentagon-07/03/2014/navy-raytheon-ready-new-satellite-guided-standard-missile-6-variant/menu-id-148.html.

⁵⁹ GPS navigation would enable the missile to go to a predetermined location; if the target is moving (such as a vehicle or ship), the SM-6 seeker could then enable it to home in on the intended target.

The Navy could also adapt its weapons in development, such as LRASM, to achieve smaller size and multi-mission capability. The exact specifications for the surface-launched version of LRASM are not yet defined, but it is intended to be VLS compatible and could be based, like the air-launched LRASM, on the Joint Air-to-Surface Standoff Munition-Extended Range (JASSM-ER) missile. The surface-launched LRASM will therefore have a likely range of 300-400 nm⁶⁰ and carry a 1,000-pound warhead-twice that of the Harpoon and half the overall weight of the missile. Some analysts have suggested LRASM could be a land-attack missile as well, but question its shorter range compared with the Tomahawk, which has a range of 800–1,000 nm.⁶¹ The Navy could increase LRASM's range to be comparable with Tomahawk's by reducing its warhead from 1,000 pounds to 500 pounds or less, making the missile lighter or enabling it to carry more fuel. This warhead size and LRASM's precision would be sufficient to at least disable a warship and would destroy or disable high-priority A2/ AD systems ashore such as radars and missile launchers. The resulting missile could replace both the Harpoon and Tomahawk, thereby increasing the effective SUW or strike capacity of the VLS magazine.62

Anti-submarine warfare is the only offensive sea control mission for which the Navy has no plans to replace its Cold War-era standoff weapons. This creates a capability gap the Navy could address by pursuing the three attributes above (relevant capability, multi-mission versatility, smaller weapons) in developing a replacement weapon. Today, the surface fleet's longest-range ASW weapon is the vertical-launch anti-submarine rocket-propelled torpedo (VL-ASROC or VLA), which consists of a rocket motor topped with an Mk-46 or Mk-54 torpedo⁶³ that is launched from a VLS cell. It has a range of about 12 nm, which is

60 See "AGM-158 JASSM: Lockheed Martin's Family of Stealthy Cruise Missiles," *Defense Industry Daily*,

- available at http://www.defenseindustrydaily.com/agm-158-jassm-lockheeds-family-of-stealthycruise-missiles-014343/, accessed July 10, 2014; Dave Majumdar, "Lockheed LRASM Completes Captive Carry Tests," *The DEW Line* (blog), Flightglobal, July 11, 2013, available at http://www. flightglobal.com/blogs/the-dewline/2013/07/lockheed-lrasm-completes-capti/.
- 61 "LRASM Missiles: Reaching for a Long-Range Punch," *Defense Industry Daily*, available at http:// www.defenseindustrydaily.com/lrasm-missiles-reaching-for-a-long-reach-punch-06752/, accessed July 10, 2014; Adam Kredo, "Obama to Kill Navy's Tomahawk, Hellfire Missile Programs in Budget Decimation," *Washington Times*, March 25, 2014, available at, http://www.washingtontimes.com/ news/2014/mar/25/obama-kill-navys-tomahawk-hellfire-missile-program/?page=all.
- 62 If, for example, a VLS magazine carried twenty LRASMs and twenty Tomahawks, replacing them with forty multimission weapons would provide forty weapons for SUW or strike instead of only twenty for each. This is important because a ship deploys without knowing exactly what missions it will need to conduct over the several months it is at sea. This is in contrast to an aircraft, which flies a mission with a weapon loadout tailored for that mission.
- 63 The Navy is replacing the torpedo warhead of ASROC with the more effective Mk-54 torpedo, but this does not change the inherent range limitations of the VLA.

less than one-tenth the range of enemy submarine-launched ASCMs and much less than the range at which U.S. shipboard sonars can detect submarines.

Because of ASROC's short range, surface combatants today rely on helicopters to conduct most of their ASW attacks. But helicopters can only be in one place at a time, carry only two torpedoes, and can only operate about 30–50 nm from their host ship.⁶⁴ As a result, a surface combatant, its helicopters, or an external sensor such as SOSUS or Surveillance Towed Array Sensor System (SURTASS) may detect submarines within ASCM range that helicopters cannot prosecute because they are out of weapons or out of position. ASW aircraft such as the P-8 *Poseidon* may be able to attack these submarines during large-scale wartime operations, but in smaller operations or in areas away from P-8 orbits (such as during escort missions) surface combatants and their embarked helicopters must be able to promptly engage submarines before they can launch ASCM attacks.

A standoff ASW weapon could be very effective at stopping submarine attacks. Even though its probability of destroying a submarine is only about 20 percent,⁶⁵ the ASROC can often achieve a "mission kill," because it takes advantage of a submarine's inherent limitations: they are relatively slow when trying to be quiet; have limited or no self-defense systems; and cannot rapidly determine the location and trajectory of an incoming weapon. Submarines are also generally not designed to survive a successful torpedo attack. As a result, if a submarine detects a torpedo in the water, it generally begins evading immediately, even if the weapon is projected to have only a small chance of success. This takes the submarine away from its mission and out of the fight for hours to days while it repositions and reacquires targeting information. Evasion also makes the submarine more detectable and could enable more precise and lethal re-attacks by ASW forces.

This suggests the surface fleet could greatly enhance its offensive ASW capacity by fielding a longer-range standoff ASW weapon that would complement helicopter-launched torpedoes. And since the ability of ASROC to achieve "mission kills" does not rely on a large warhead, a new standoff weapon could use a smaller warhead to enable longer range, as proposed with LRASM above. One concept for doing this would be to combine the Navy's small Common Very

⁶⁴ The MH-60R ASW helicopter has a combat radius of 245 nm; ASW operations involve stopping to dip its sonar to find submarines and then pursue and attack enemy submarines. If the MH-60R travels more than about 50 nm away, it will not have the endurance to search or the range to prosecute detections.

⁶⁵ This figure is for the ASROC variant employing the older Mk-46 torpedo. A version with the newer Mk-54 torpedo may be higher. Stephen Valerio, *Probability of Kill for an ASROC Torpedo Launch*, M.S. Thesis (Monterey, CA: U.S. Naval Postgraduate School, 2009).

The phased modernization plan would provide the Navy more than a hundred large surface combatant "ship-years" for about \$3 billion. Light-Weight Torpedo (CVLWT) with an SM-2-sized booster. The CVLWT not only has a smaller warhead than Mk-46 or Mk-54 torpedoes, but it also has a sophisticated sonar and processor that enables it to destroy other torpedoes as part of the Navy's torpedo defense system; it could actually have a higher probability of success than the Mk-46 fielded on ASROC. Alternatively, the Navy could increase its standoff ASW capacity by combining the CVLWT with an ESSMsized booster, which would not dramatically increase ASROC range but would quadruple the surface combatant's ASW capacity. This could be an effective approach for SSCs pursuing enemy submarines that cannot employ ASCMs due to configuration, size, or a lack of external targeting data.

New Concepts to Affordably Increase Surface Combatants for Offensive Sea Control

As noted above, the offensive weapons capacity per surface combatant will probably continue to be constrained by the VLS capacity needed for defensive AAW interceptors until non-VLS defensive AAW systems such as EMRGs and lasers are fully fielded. New approaches are needed to maximize the number of surface combatants that can contribute to offensive missions. There are three fundamental ways the Navy should pursue this objective:

- 1. Implement a new sustainment concept for CGs so they can be retained longer in active service;
- 2. Enact new approaches to provide BMD to fixed sites ashore to make more large surface combatants available for sea control; and
- 3. Develop new operational concepts for SSCs to contribute to offensive sea control missions when available.

A New Sustainment Concept for CGs

To retain more of its current large surface combatant capacity into the 2030s, the Navy proposed in its FY 2015 budget submission to conduct "phased modernization" of CGs rather than decommission them all by 2029 as currently planned.⁶⁶ Under this plan, eleven of today's twenty-two CGs would be placed in a reduced operating status starting in FY 2015 with minimal manning and maintenance. These ships would then be brought out of reduced operating status over the subsequent ten years in conjunction with their mid-life modernization overhauls. These overhauls would equip the CGs with the latest Aegis combat systems and execute hull, electrical, and mechanical upgrades to extend their lives to forty

66 Jonathan Greenert, U.S. Navy Chief of Naval Operations, Statement before the House Armed Services Committee, "FY 2015 Department of the Navy Posture," March 12, 2014.

years. In all, the phased modernization plan would provide the Navy more than a hundred large surface combatant "ship-years" for about \$3 billion.

This phased modernization plan would save the Navy money in the next ten years by enabling it to avoid costs associated with operating and manning the eleven affected CGs.⁶⁷ The plan would also sustain CG force structure into the late 2030s, increasing the capacity of large surface combatants during the years when construction of the SSBN(X) will begin to consume more than one-third the Navy's annual shipbuilding budget (see Figure 5). In terms of offensive sea control, keeping 11 CGs in the fleet, each with 122 VLS cells, would prevent a significant reduction in the surface force's striking power at a time when potential adversaries' A2/AD networks are reaching maturity.⁶⁸ Cruisers are also uniquely capable of hosting the Area Air Defense Commander because of their greater personnel capacity, radar redundancy,⁶⁹ and larger command and control spaces.



FIGURE 5. CG INVENTORY FROM FY 2015 TO FY 204370

Dotted line shows planned CG inventory without phased modernization.

- 67 The crewmembers detached from the CGs would go to fill shortfalls elsewhere in the surface fleet, enabling the Navy to avoid the costs of recruiting, training, and compensating new sailors to fill these gaps.
- 68 DoD, China Military Modernization.
- 69 A CG has four SPY-1 radar arrays on two separate superstructures. A DDG has three arrays all on one superstructure.
- 70 Deputy Chief of Naval Operations for Integration of Capabilities and Resources, *Report to Congress on the Annual Long-Range Plan for Construction of Naval Vessels for FY2015* (Washington, DC: Office of the Chief of Naval Operations, 2014).

Without this phased modernization plan, the Navy argues it would not be able to sustain CG force structure into the 2030s. The eleven oldest of today's twenty-two CGs will be retired by 2026. Of the newest eleven CGs, several already have material problems that reduced their operational tempo,⁷¹ and the Navy plans to retire them all by 2029 because of insufficient modernization funds.

New approaches for BMD of fixed sites ashore

Sea-based BMD is a relatively new mission that rapidly developed into a significant demand on naval forces. Prior to 2005, no Navy ships were assigned to BMD operations, and force structure requirements did not reflect an allocation for this mission.⁷² Today the Navy has thirty-three BMD-capable ships, with plans to increase the number to forty-three ships by 2019.⁷³ On average, two large surface combatants are continuously deployed in the Mediterranean Sea, Arabian Gulf, and Western Pacific Ocean to provide BMD for partners and allies overseas, which requires at least eighteen CGs or DDGs to support.⁷⁴

BMD-capable large surface combatants are attractive for BMD overseas because they can protect a large area (or "footprint") since the Navy's SM-3 interceptor destroys the ballistic missile in its "midcourse" phase outside the atmosphere. But the CGs and DDGs assigned to BMD missions are largely unavailable for other missions such as offensive sea control. The geometry required to intercept a ballistic missile prevents the BMD ship from maneuvering outside of a relatively small area while the readiness needed to promptly respond to missile launches limits the amount of sensor resources that can be spared for other missions.

72 Ronald O'Rourke, Navy Aegis Ballistic Missile Defense (BMD) Program: Background and Issues for Congress, RL33745 (Washington, DC: CRS, July 31, 2014).

73 , Missile Defense Agency, "Aegis Ballistic Missile Defense: Status," available at http://www.mda.mil/ system/aegis_status.html, accessed July 2, 2014; O'Rourke, Navy Aegis Ballistic Missile Defense (BMD) Program.

74 This calculation assumes two BMD-capable ships are deployed in the Mediterranean as part of the European Phased Adaptive Approach and in defense of Middle East partners; two are deployed in the Middle East to defend Arabian Gulf partners; and two are deployed in the Western Pacific to defend Japan and South Korea. This level of deployment is consistent with press reports of BMD deployments and Navy leader statements. "Forward Deployed Naval Force" (FDNF) ships based in Rota, Spain, and Yokosuka, Japan, source European and Pacific BMD deployments, respectively. The FDNF operational model requires two ships for each one underway. BMD ships in the Middle East would deploy rotationally from the United States, requiring five ships for each one underway overseas. See Jonathan Greenert, U.S. Navy Chief of Naval Operations, Statement before the House Armed Services Committee, "FY 2014 Department of Navy Posture," April 16, 2013, p. 10; Christopher Cavas, "First U.S. BMD Ship Leaves for Rota," *Defense News*, February 1, 2014.

⁷¹ According to a record of underway employment obtained by the Navy Times through a Freedom of Information Act request, the USS Anzio (CG-68), USS Vicksburg (CG-69), and USS Port Royal (CG-73) were all underway less than 15 percent of the time since 2012.

The demand for BMD ships will very likely continue to increase. Over the next decade U.S. competitors plan to deploy ballistic missiles with stealthier warheads and "penetration aids" such as decoys or jammers designed to confuse or deceive interceptors. They will also field longer-range ballistic missiles, which are faster and shrink the footprint that can be protected by the interceptors currently deployed on BMD-capable CGs and DDGs.⁷⁵ Interceptor and radar upgrades currently planned by the Navy will help BMD-capable ships keep up with improving ballistic missiles,⁷⁶ but the footprint defended by each ship will eventually shrink since radar and interceptor size will remain constrained by the size of the ship (e.g., DDG-51) that hosts them. More interceptors and more ships will therefore be required in the future to defend the same area. Unless an alternative method is developed to defend military and civilian targets ashore, an increasing portion of large surface combatants will be consigned to BMD stations overseas and unable to contribute to offensive sea control.

Shore-based BMD capabilities could reduce the demand for BMD ships. Aegis Ashore provides the same large, multiple-country footprint against short and intermediate-range ballistic missiles as a BMD-capable CG or DDG and will be deployed to Europe starting in 2015.⁷⁷ This system includes the same AN/SPY-1 radar and Aegis BMD version 5.0 software being installed on DDG-51 Flight IIa ships and a twenty-four-cell VLS magazine carrying SM-3 interceptors.

The Navy should pursue replacing today's BMD ship stations in the Middle East and Japan with Aegis Ashore to defend fixed locations against known threats. The cost of an Aegis Ashore system is about \$750 million,⁷⁸ whereas a Flight IIa DDG-51 costs about \$1.6 billion and a Flight III DDG-51 is estimated to cost \$1.9 billion.⁷⁹ The two to three Aegis Ashore systems that could

75 DoD, China Military Modernization 2014.

- 76 Differentiating between actual warheads and decoys requires multiple seekers on interceptors and sea or land-based tracking radars that can apply greater power either because they are more powerful overall or because they can narrow their field of view to concentrate their power on a smaller area. The SM-3 Block 1b missile to be deployed in 2015 (in conjunction with Aegis BMD version 3.6.X) will provide some ability to counter penetration aids with its multiple frequency infrared seeker, while the larger SM-3 Block IIa missile to be deployed in 2018 (with Aegis BMD version 5.1) will also provide greater range and intercept speed to counter faster and longer-range ballistic missiles. The AMDR to be deployed on the DDG-51 Flight III starting in 2021 will provide improved power and differentiation to counter penetration aids as well.
- 77 Specifically, Aegis Ashore systems will be deployed to Romania in 2015 and to Poland in 2018.
- 78 "SM-3 BMD, in From the Sea: EPAA & Aegis Ashore," *Defense Industry Daily*, available at http:// www.defenseindustrydaily.com/land-based-sm-3s-for-israel-04986/, accessed July 4, 2014.
- 79 Deputy Chief of Naval Operations, Report to Congress on the Annual Long-Range Plan for Construction of Naval Vessels for FY2015.

Unless an alternative method is developed to defend military and civilian targets ashore, an increasing portion of large surface combatants will be consigned to BMD stations overseas and unable to contribute to offensive sea control. be purchased for the cost of one DDG would be able to take the place of four to fifteen DDGs, depending on whether the DDGs are forward based. While Aegis Ashore is less mobile than a BMD-capable ship, there is little need for greater mobility because the footprint defended by either system extends for hundreds of miles.

Competitors such as China or Iran can mass large ballistic missile attacks able to overwhelm the limited capacity of a BMD-capable ship or Aegis Ashore system. For high-value targets that could attract large attacks such as bases and command and control facilities, Aegis Ashore should be complemented by Patriot Advanced Capability upgrade version 3 (PAC-3) and Terminal High-Altitude Air Defense (THAAD) systems. These systems intercept ballistic missiles in their "terminal" phase as they approach the target; this yields a smaller defended "footprint" but enables use of a smaller, less expensive interceptor that can be deployed in greater quantities at the same cost. Figure 6 shows how a combination of shore-based midcourse and terminal-phase missile defenses could be employed in Japan to defend against Chinese and North Korean short- and intermediate-range ballistic missiles.

Aegis Ashore Sites (rovide regional BMD) Baseto Naval Base Vakuni Naval Ar Station Vokosuka Naval Base

FIGURE 6. A SHORE-BASED APPROACH TO BMD OF ALLIES

New concepts for SSC surface action groups (SAG)

As will be discussed below, the follow-on SSC and upgraded LCS are likely to have defensive AAW capabilities that would enable them to protect other ships. This would enable SSCs to reduce the demand on large surface combatants for escort missions and free CGs and DDGs to focus on more stressing offensive sea control operations. But these more capable, VLS-equipped SSCs could also conduct offensive sea control missions because they will be able to defend themselves and could employ VLS-launched offensive weapons such as LRASM or SM-6. Concepts to use follow-on SSCs and upgraded LCSs for offensive AAW, ASW, SUW, and strike will likely need to employ them as a SAG of three or more ships to provide greater overall defensive AAW capacity and longer-range targeting than a single SSC.⁸⁰ The SAG could be given long-range targeting data from third-party sensors (satellites, other joint force platforms, etc.) or could use a "hunter" ship to find a target with passive or remote sensors and transmit the target's information to "killer" ships farther away. The "killer" ships could then shoot the target from outside the target's sensor or weapons range. Multiple SSCs operating as a SAG would also be able to provide mutual air defense⁸¹ by extending their 30-nm defensive AAW envelopes over each other (see Figure 7).

FIGURE 7. NOTIONAL OFFENSIVE SAG WITH LCS AND DDG



Follow-on SSCs and upgraded LCSs may enable the Navy to also re-evaluate its requirement for large surface combatants. If these SSCs can conduct offensive and defensive sea control missions, they may be able to replace CGs and DDGs in some less stressing situations where their smaller capacity and endurance are sufficient for the task.

Recent studies by Captain Wayne Hughes, Commander Phillip Pournelle, and others have argued⁸² the Navy could gain an advantage in a SUW competition against an adversary such as China by fielding ASCM-equipped SSCs that are

⁸⁰ Longer-range sensors would not be practical since they would take up space and weight needed for defensive AAW weapons to protect the ship and those around it.

⁸¹ This assumes the follow-on SSC or upgraded LCS would carry an area air defense interceptor such as ESSM so it could protect other ships in company.

⁸² Phillip Pournelle, "The Rise of the Missile Carriers," U.S. Naval Institute Proceedings, May 1, 2013, available at http://www.usni.org/magazines/proceedings/2013-05/rise-missile-carriers.

The surface fleet must restore the division of labor between large and small surface combatants to enable CGs and DDGs to focus primarily on offensive sea control. smaller than LCSs, such as so-called "fast missile craft."⁸³ These ships could gain the upper hand in a fight by having enough defensive AAW capacity to require many enemy ASCMs to be launched at each SSC while still being small (and inexpensive) enough to enable the Navy to distribute the surface fleet's offensive capacity over a large number of ships that the enemy would have to hunt down and destroy in detail.

Implementing an offensive SAG concept in the next decade with upgraded LCSs and follow-on SSCs would enable the surface fleet to experiment and determine if smaller SSCs such as fast missile craft could improve its ability to conduct offensive sea control.

New Approaches to Defensive and Constabulary Missions

The surface fleet must restore the division of labor between large and small surface combatants to enable CGs and DDGs to focus primarily on offensive sea control. Navy leaders today assess that growing demands on large surface combatants prevent them from being adequately trained and maintained.⁸⁴ This situation will likely get worse unless it is promptly addressed as outlined below. Consider that by the end of FY 2015, the *Oliver Hazard Perry*-class FFGs will be decommissioned, leaving the fleet with only half the Navy's required number of SSCs⁸⁵ (see Figure 8). Large surface combatants will therefore bear an increasing share of missions normally done by SSCs including convoy and logistics escort, maritime security, and partner training.

Although Figure 8 implies the number of SSCs will return to the required number by FY 2024, this chart assumes DoD receives a higher level of funding than allowed by current legislative budget caps. It is therefore likely that Navy shipbuilding will be negatively impacted if these caps are not adjusted. Further, the follow-on SSC being pursued by the Navy will be more capable and therefore

- 84 Richard Sisk, "Navy Struggles to Meet Demands," *DoD Buzz*, January 16, 2013, available at http:// www.dodbuzz.com/2013/01/16/navy-struggles-to-meet-demands/; Sam Fellman, "CNO: Stressed Fleet Can't Sustain Op Tempo," *Navy Times*, May 3, 2012, available at http://www.navytimes.com/ article/20120503/NEWS/205030317/CNO-Stressed-fleet-can-t-sustain-op-tempo; and Greenert, "FY 2014 Department of Navy Posture," p. 15.
- 85 OPNAV N8, Navy Combatant Vessel Force Structure Requirement, report to Congress (Washington, DC: OPNAV N8, January, 2013); Deputy Chief of Naval Operations, Report to Congress on the Annual Long -Range Plan for Construction of Naval Vessels for FY2015.

⁸³ The Ambassador-class FMC is built in the United States and is equipped with Harpoon ASCMs, point-defense RAM interceptors, and a CIWS gun. It costs about \$200 million, so purchasing even a three-ship SAG of FMCs would take a meaningful portion of the already-tight shipbuilding budget. See Luke Tarbi, "U.S. Navy Needs Fast Missile Craft—and LCS—in Persian Gulf," Breaking Defense, April 14, 2014, available at http://breakingdefense.com/2014/04/ us-navy-needs-fast-missile-craft-and-lcs-in-persian-gulf/.

likely cost more than the LCS it will replace. This could reduce the number of SSCs the Navy is able to build in the next decade.



FIGURE 8. U.S. NAVY SURFACE FLEET COMPOSITION⁸⁶

The dotted lines show the required number of large surface combatants (blue) and SSCs (brown).

In peacetime, CGs and DDGs can conduct maritime security and training missions during their regular deployments as part of a carrier strike group (CSG). Each CSG notionally includes five large surface combatant escorts,⁸⁷ and threats in peacetime are modest enough that most of these escorts can disaggregate hundreds of miles away without significant risk to the carrier. In wartime, however, these ships would need to reaggregate with the carrier to gain and sustain access for it and the Joint Force in challenging A2/AD environments. If they have spent their time conducting other missions, CSG escorts may not have the proficiency or combat system readiness to conduct offensive sea control missions effectively in a conflict's early stages.⁸⁸ Moreover, some CSG escorts may

88 Thomas Copeman, Vision for the 2026 Surface Fleet (Washington, DC: U.S. Navy, 2014); Daisy Khalifa, "Gortney's Readiness: Predictable, Adaptable for Sailors," Seapower Magazine, April 8, 2014, available at http://www.seapowermagazine.org/sas/stories/20140408-gortneyredefines-readiness.html.

⁸⁶ Deputy Chief of Naval Operations, Report to Congress on the Annual Long -Range Plan for Construction of Naval Vessels for FY2015.

Bepartment of the Navy, Chief of Naval Operations, Policy for Baseline Composition and Basic Mission Capabilities for Major Afloat Navy and Naval Groups, OPNAVINST 3501.316B (Washington, DC: U.S. Navy, October 21, 2010), available at http://doni.documentservices.dla.mil/ Directives/03000%20Naval%20Operations%20and%20Readiness/03-500%20Training%20and%20 Readiness%20Services/3501.316B.pdf.

not be able to return to the carrier because some constabulary missions may need to continue in wartime, such as maritime security operations to prevent clandestine resupply of the enemy.

Large surface combatants will also need to take on wartime convoy and logistic ship escort missions that would traditionally have been done by SSCs. According to its FY 2015 shipbuilding plan, all the Navy's SSCs will be LCSs by 2021, as indicated in Figure 8. The LCS will not be able to conduct escort missions, however, since it has only a self-defense AAW system and cannot simultaneously embark and operate its SUW and ASW mission packages to defend noncombatant ships against submarines and enemy surface combatants.

The Navy should pursue new approaches to conduct maritime security, training, and escort missions. This will enable large surface combatant crews more time to train and maintain their ships in peacetime and make more CGs and DDGs available for offensive sea control in wartime. Specifically, the Navy should:

- Field more small surface combatants able to defend themselves and others
- · Empower the "National Fleet" to conduct less-stressing SSC missions

Field More Small Surface Combatants Able to Defend Themselves and Others: Concept

As A2/AD capabilities proliferate and improve, small surface combatants will need better defenses while noncombatant logistics ships and civilian convoys will need to be protected from enemy aircraft, surface ships, and submarines in more places and situations.⁸⁹ Today CGs and DDGs would have to provide this protection since both variants of LCS (Figure 8) have only a limited self-defense AAW capability. Their twenty-one RIM-116 Rolling Airframe Missiles (RAM) have a maximum range of only 5 nm, preventing effective defense of escorted ships, while their capacity is too small to enable even self-defense in a highthreat environment.⁹⁰

90 Given the LCS's short-range missiles, a defended ship would have to operate too close to the LCS to permit effective maneuvering and the LCS would have to be positioned between the incoming missile and the escorted ship or directly in front of or behind the escorted ship. To ensure the incoming ASCM is intercepted, two RAM would likely be shot at each incoming ASCM. This would result in the LCS's magazine of RAMs being exhausted after ten ASCM attacks. In the LCS's envisioned littoral operating environment, more ASCM attacks would likely occur before the ship could reload its RAM magazine.

⁸⁹ These three capabilities were needed in escorts used in World Wars I and II and in the "Tanker War" between Iran and Iraq in 1987–88. See Brodie, A Guide to Naval Strategy; Lee Allen Zatarain, Tanker War: America's First Conflict with Iran, 1987–1988 (Havertown, PA: Casemate Publishers, 2009); and William Sims and Burton Hendrick, The Victory at Sea: The Allied Campaign Against U-Boats in the Atlantic 1917–18 (UK: Leonaur Publishing, 2012).

FIGURE 9. THE USS *FREEDOM* (LCS-1) AND USS *INDEPENDENCE* (LCS-2) VARIANTS OF LCS⁹¹



The Navy recently announced a plan that would address this capability shortfall by truncating the LCS program at thirty-two ships and developing a follow-on SSC with organic AAW, ASW, and SUW capabilities similar to those originally inherent in the *Oliver Hazard Perry*-class FFG.⁹² The *Perry*-class was designed to escort amphibious, logistics, and merchant ships. With similar capabilities, the follow-on SSC could reduce the demand on large surface combatants for this mission.

While the current LCS and a modified LCS are among the options being considered for the follow-on SSC, the new ship will likely cost more than the LCS since it will incorporate additional capabilities. An LCS consists of a "sea frame" with a deck gun and self-defense interceptors; it normally embarks a mission package focused on a specific capability area. Currently, the Navy is developing mission packages for ASW, SUW, and MCM. Upgrading the LCS to have equivalent capabilities to a *Perry*-class FFG would require, for example, that it carry the ASW mission package full-time and incorporate longer-range AAW capabilities.

91 The Freedom-class (LCS-1, 3, 5, etc.) is a planning monohull ship, whereas the Independence-class (LCS-2, 4, 6, etc.) is a planning trimaran. Both have about 3,300 tons and are 378 feet and 418 feet long, respectively.

92 Based on direction from the Chief of Naval Operations (CNO) to the SSC Task Force and the Task Force's Request for Information (RFI) from industry; see Chief of Naval Operations, *Small Surface Combatant Task Force*, Joint Letter (Washington, DC: U.S. Navy, March 13, 2014), available at http:// blogs.defensenews.com/saxotech-access/pdfs/Letter140313.pdf; and Department of the Navy, Naval Sea Systems Command, *Request for Information (RFI) for Market Information Pertinent to the Navy's Future Small Surface Combatant* (Washington, DC: U.S. Navy, April 9, 2014), available at https://www.fbo.gov/index?s=opportunity&mode=form&id=4672fccc30bde30cb8c1cff475c95cf5&tab =core&_cview=1. The Navy will need to expand the number of ships able to conduct lessstressing missions. An LCS with the ASW mission package costs about \$515 million,⁹³ and a new AAW system would add to that cost. For comparison, the *Perry*-class FFGs (last built in 1989) would cost about \$774 million in FY 2014 dollars.

The Navy's shipbuilding plan and FY 2015–2019 FYDP do not address the higher cost likely for the follow-on SSC and only plan funding for all SSCs in the amount associated with the current (or "Flight o") LCS. Moreover, the Navy's assumptions regarding funding and costs of manpower, readiness, and acquisition are considered by some analysts to be overly optimistic.⁹⁴ As a result, it is unlikely the Navy will be able to buy twenty follow-on SSCs to add to the thirty-two LCSs and meet its overall requirement for fifty-two SSCs.

The Navy could increase its number of escort-capable SSCs by also upgrading some Flight o LCSs with defensive AAW capabilities. As will be discussed in more detail in Chapter 3, a modified LCS is likely to represent the Navy's best option for the follow-on SSC. The design and engineering effort to support this modification could also facilitate incorporating some of the follow-on SSC's added capabilities into the thirty-two Flight o LCSs.

Empower the National Fleet to Conduct Less-Stressing SSC Missions: Concept

The Navy will need to expand the number of ships able to conduct less-stressing missions such as maritime security, noncombatant evacuation, mine clearing, and partner training. These missions are normally conducted by SSCs, but the projected shortfall in SSCs until the mid-2020s will mean more of them will need to be conducted by large surface combatants, taking them away from offensive sea control operations. In the long term, the shortfall is not likely to be alleviated, as the Navy is unlikely to reach its requirement of fifty-two small combatants due to continued fiscal constraints and the higher costs of follow-on SSCs and upgraded LCSs.

.....

⁹³ This is based on \$475.7 million for an LCS sea frame, \$20.9 million for the ASW mission package, and \$14.8 million for common mission package equipment. This combination most closely approximates the capabilities of the original FFG outside of its AAW capability. The other mission packages are Mine Countermeasures (\$97.7 million) and surface warfare (\$32.6 million). See Ronald O'Rourke, *Navy Littoral Combat Ship (LCS) Program: Background and Issues for Congress*, RL33741 (Washington, DC: CRS, August 2014) available at http://fas.org/sgp/crs/weapons/RL33741.pdf.

⁹⁴ Eric Labs, An Analysis of the Navy's FY2014 Shipbuilding Plan (Washington, DC: CBO, October 1, 2013).

The U.S. National Fleet has a wide selection of noncombatant ships that could augment SSCs in low- to moderate-threat environments. The National Fleet formally consists of the U.S. Navy and U.S. Coast Guard, which together have 370 ships.⁹⁵ In the U.S. Navy's Battle Force there are about sixty support and logistics ships, including (by FY 2015) six JHSVs and four mobile landing platforms (MLPs) designed to host an array of unmanned systems, helicopters, and small boats. The U.S. Coast Guard's ninety cutters are also capable of carrying these payloads. The National Fleet can also be considered to include the Maritime Sealift Command's (MSC's) twenty-six prepositioning ships and the Department of Transportation's 117 National Defense Reserve Fleet (NDRF) ships, forty-six of which form the U.S. Navy's Ready Reserve Fleet.⁹⁶

The LCS mission package concept could provide a way for noncombatant ships to contribute to SSC missions. In mine warfare and maritime security, for example, the LCS acts as a "mother ship," deploying off-board systems that conduct the mission, rather than as a tactical platform that directly conducts the mission like a minesweeper or patrol craft. Mines are hunted today with autonomous vehicles such as the Mk-18 Mod 2 unmanned underwater vehicle (UUV) and neutralized with remotely operated systems including the SLQ-60 UUV. Similarly, pirates or traffickers are typically located using helicopters or unmanned vehicles such as the MQ-8C vertical takeoff UAV (VTUAV) and intercepted by rigid-hull inflatable boats (RHIB). These systems could also be hosted and deployed from a logistics ship, JHSV or Afloat Forward Staging Base (AFSB). In a low- to moderate-threat environment, these noncombatant ships may need to be protected, which could be done by a follow-on SSC or upgraded LCS while still increasing the overall capability of the fleet.

⁹⁵ The National Fleet is described in Department of the Navy, Office of the Chief of Naval Operations and United States Coast Guard, Office of the Commandant, *National Fleet Plan* (Washington, DC: U.S. Navy and U.S. Coast Guard, March 2014), and it consists of 290 Navy Battle Force Ships and ninety USCG cutters as of August 3, 2014. See Ronald O'Rourke, *Coast Guard Cutter Procurement: Background and Issues for Congress*, R42567 (Washington, DC: CRS, 2014), available at http://fas. org/sgp/crs/weapons/R42567.pdf.

⁹⁶ The forty-six RRF ships consist of thirty-five roll-on/roll off (RO/RO) vessels (which includes eight Fast Sealift Support vessels, FSS), two heavy-lift or barge carrying ships, six auxiliary crane ships, one tanker, and two aviation repair vessels. See Department of Transportation, "National Defense Reserve Fleet," available at http://www.marad.dot.gov/ships_shipping_landing_page/national_ security/ship_operations/national_defense_reserve_fleet/national_defense_reserve_fleet.htm, accessed August 3, 2014. That the national fleet could include MSC and NDRF ships was argued most prominently by now-Deputy Defense Secretary Robert Work in a 2008 paper: Robert Work, *The U.S. Navy: Charting a Course for Tomorrow's Fleet* (Washington, DC: Center for Strategic and Budgetary Assessments, 2008).

The Navy should evaluate other mission packages that could be modularized and employed by LCSs and noncombatant ships. Using noncombatant ships for military missions such as mine clearing or maritime security will require augmenting the ships' civilian crew with military personnel and establishing legal arrangements to enable the ship to use force to defend itself and other ships during military operations. These arrangements have already been made with the Afloat Forward Staging Base-Interim (AFSB-I) USS *Ponce*, which conducts mine clearing and partner training today as a noncombatant ship in the Arabian Gulf.

Expand the mission package concept beyond LCS

The mission package concept should be expanded and separated from only being associated with the LCS program. This would enable more of the U.S. National Fleet to contribute to day-to-day operations and enable noncombatant ships to do SSC missions that otherwise would fall to large surface combatants. The self-contained combination of operators and equipment associated with mission packages enables these capabilities to be deployed on other Navy, Coast Guard, and Department of Transportation ships.

Some elements of the planned LCS mission packages will not be practical to integrate or use on support ships due to performance limitations or because the ships lack appropriate communication or command and control systems. For example, the ASW mission package's specialized handling equipment and command and control requirements make it difficult to integrate onto a ship such as a JHSV or AFSB. Other mission packages or parts of packages, however, can be used on other ships with little modification. Systems like mine hunting and clearing UUVs can be operated independently from a wide range of ships and their data uploaded to command and control systems later. The SUW mission package's RHIBs and helicopters can operate from a wide range of support ships. JHSVs and AFSBs in particular will be equipped with communications and command and control systems to enable the ship to coordinate maritime security operations with other ships.

Going forward, the Navy should evaluate other mission packages that could be modularized and employed by LCSs and noncombatant ships such as disaster response, preventive medical care, signals intelligence, airborne surveillance, counter-illicit trafficking, and electronic warfare.

CHAPTER 3

Capability and Program Implications

This chapter summarizes high-priority initiatives and investments needed in the near to midterm (i.e., one to two FYDPs, or to 2025) to implement the new concepts and approaches described in Chapter 2. These recommendations focus on how the surface fleet equips and configures ships, rather than proposing new-design surface combatants. The Navy needs to improve its ability to conduct sea control in the next decade, but fiscal constraints will likely preclude new-design ships until the 2030s.

Although the recommendations below focus on "payloads," they are grouped by the platform to which they pertain. Weapons recommendations independent of combatant type are grouped separately. Within each group, recommendations are described under the associated concept or approach from Chapter 2.

Large Surface Combatants

Large surface combatants (CG and DDG) and aircraft carriers are the only U.S. Navy ships with the weapons capacity and combat systems to conduct the full range of sea control missions in a stressing threat environment. As described in Chapter 2, several aspects of today's large surface combatant configuration and employment constrain their ability to conduct offensive sea control missions such as AAW, ASW, SUW, and strike against coastal A2/AD threats.

A New Approach to Sea-Based AAW

Chapter 2 recommended the surface fleet adopt a new approach to AAW that separates longer-range offensive AAW against aircraft from medium-range defensive AAW against incoming ASCMs or ASBMs. This will provide more VLS space for offensive weapons. Enabling commanders to be confident in this new air defense concept in the face of improving A2/AD threats will require automated battle management and deeper magazines. The Aegis combat system already has automated fire control, which should be modified to conduct defensive AAW in the 10- to 30-nm range and incorporate new defensive AAW systems such as lasers and EMRGs. Along with smaller interceptors such as ESSM, lasers and EMRGs will provide greater magazine depth to surface combatants. The technology for these new capabilities will be mature in the early 2020s; given projected A2/AD threats, the fleet cannot wait to field them until a new surface combatant is built in the 2030s.

Lasers

Laser weapons are entering the fleet and could contribute to defensive AAW in the next decade. The Navy deployed a laser in summer 2014 aboard the AFSB-I USS *Ponce* in the Arabian Gulf for experimentation and to develop concepts of operation (Figure 9).⁹⁷ This 33-kilowatt (kW) solid-state laser uses fiber-optic cable as the lasing medium and will only be able to defeat small UAVs, small boats, and EO/IR sensors. The Navy's Solid State Laser Technology Maturation (SSL-TM) program plans to deliver a 100- to 150-kW laser in 2016 capable of defeating larger UAVs and fast attack craft (FAC).⁹⁸ Further, the Navy anticipates fielding a 300- to 500-kW solid-state laser in the early 2020s that would be capable of defeating ASCMs at about 10 nm.⁹⁹ The Navy has no plans right now, however, to transition a mature laser onto a combatant ship.



FIGURE 10. LASER WEAPONS SYSTEM DEPLOYED ON USS PONCE

- 97 Eric Beidel,"All Systems Go, Navy's Laser Weapon Ready for Summer Deployment," Office of Naval Research, press release, April 7, 2014, available at http://www.onr.navy.mil/Media-Center/Press-Releases/2014/Laser-Weapon-Ready-For-Deployment.aspx.
- 98 Matthew L. Klunder, United States Navy Chief of Naval Research, Statement Before the Intelligence, Emerging Threats and Capabilities Subcommittee of the House Armed Services Committee, "The Fiscal Year 2015 Budget Request," March 26, 2014, available at http://www.acq.osd.mil/chieftechnologist/ publications/docs/FY2015_Testimonyonr_klunderusnm_20140326.pdf.
- 99 O'Rourke, Navy Shipboard Lasers for Surface, Air, and Missile Defense.

As described in Chapter 2, lasers in the 300- to 500-kW range could contribute to a new medium-range approach to defensive AAW and enable more VLS cells to be used for offensive sea control. Within the surface fleet, the electrical power needed to continuously fire a 300- to 500-kW laser (about 1,500–2,000 kW) exceeds the reserve electrical capacity of today's CGs and Flight IIa DDG-51s but is within the planned capacity of the Flight III DDG-51.¹⁰⁰

Installing a laser on a DDG deck without making the ship bigger will require that it replace something. The most logical candidate is the deck gun. A 300- to 500-kW laser could perform the most common missions of the 5"/62 gun on CGs and DDGs such as SUW against small boats and AAW against slow, low-flying aircraft (such as UAVs). The laser would have a similar effective range as the 5"/62 gun, greater accuracy, a higher rate of fire, and an essentially unlimited magazine.¹⁰¹ Its main limitations will be atmospheric effects; only being able to engage targets in its line-of-sight; and not providing the same blast and fragmentation effects as an artillery round. These may be particularly limiting in attacking targets ashore. These limitations may be worth accepting, however, for the magazine capacity provided by a laser in defensive AAW, which is a much more stressing mission for the DDG. The Flight III DDG-51 would also still have 25-mm guns, grenade launchers, and helicopters that are not as affected by weather and geography.

<u>Recommendation</u>: When the Navy's solid-state laser is mature at a power level of 300–500 kW, install one in place of the 5"/62 gun on several new construction Flight III DDG-51s to enable experimentation and concept development. If the laser is able to replace the 5"/62 gun in most applications, the Navy could then promptly expand its installation in additional Flight III DDG-51s.

Electromagnetic Railgun

The Navy will demonstrate a 32-MJ EMRG at sea in 2016 on the JHSV USNS *Millinocket* and plans to have one ready for operational use in the next decade (Figure 10). This culminates a decade of research on this capability and several

101 A 5"/62 gun has a range of about 12 nm and can shoot sixteen to twenty rounds per minute; a CG or DDG magazine can carry 600 rounds. The Navy pursued a larger extended-range guided munition for the gun, which was canceled in 2008 due to high cost and poor reliability. Lasers in the 300to 500-kW range could contribute to a new mediumrange approach to defensive AAW and enable more VLS cells to be used for offensive sea control.

¹⁰⁰ A Flight IIa DDG-51 has only about 245 kW of spare generating capacity, whereas a Flight III DDG-51 is projected to have about 2,100 kW of reserve electrical capacity and sufficient extra cooling for a 300- to 500-kW laser; the required power for a laser could be attained with a smaller demand on the ship's power supply using power storage devices such as capacitors or fuel cells. This would limit the overall rate of fire but could enable installation of a laser on a ship with less reserve power capacity such as a Flight IIa DDG, LCS, or follow-on SSC. See Mark Vandroff, *DDG 51 Program*, Power Point Presentation (Washington, DC: U.S. Navy, January 14, 2014), available at http://www.navsea.navy. mil/Media/SNA2014/1-14-1--Vandroff.pdf; and O'Rourke, *Navy Shipboard Lasers for Surface, Air, and Missile Defense.*

If EMRG development matures as planned, it would provide fires at greater ranges than today's deck guns and defensive AAW with greater capacity than today's interceptors. years of demonstrating it ashore against a variety of targets at the Naval Surface Warfare Center in Dahlgren, Virginia.¹⁰² The Navy projects an EMRG will be operationally useful and able to be integrated on a surface combatant in the mid-2020s, but it does not yet have a plan to do so.¹⁰³

FIGURE 11. THE 32-MJ EMRG BARREL ON USNS MILLINOCKET (JHSV-3)

If EMRG development matures as planned, it would provide fires at greater ranges than today's deck guns and defensive AAW with greater capacity than today's interceptors. The projectile in current EMRGs is about 24 pounds and 18–24 inches long by 3 inches wide, making it less than half the size of 5"/62 gun cartridges and about a tenth the size of missile interceptors such as the SM-2. Ships will be able to carry many more EMRG projectiles than missiles or cartridges, and store them in a wide variety of locations since the projectiles are inert.

But the surface force's current large and small combatants (with one exception, noted below) will not be able to host an EMRG unless their electrical generation capacity is significantly augmented. The 32-MJ EMRG the Navy plans to

103 "Operationally useful" according to the Navy is being able to fire six to ten rounds a minute and shoot several hundred rounds from an EMRG barrel before it must be replaced. See Kelsey Atherton, "The Navy Wants to Fire Its Ridiculously Strong Railgun from the Ocean," *Popular Science*, April 8, 2014, available at http://www.popsci.com/article/technology/ navy-wants-fire-its-ridiculously-strong-railgun-ocean.

¹⁰² An EMRG accelerates a GPS-guided ferromagnetic projectile to hypersonic (Mach 6–7) speeds using a series of magnets positioned along a rail, similar to a magnetic levitation (MAGLEV) train. The 32-MJ EMRG prototype will be installed on USNS *Millinocket* (JHSV-3) in 2016. See Naval Sea Systems Command Office of Corporate Communication, "Navy to Deploy Electromagnetic Railgun Aboard JHSV," news release, Story Number NNS140407-03, April 7, 2014, available at http://www.navy.mil/ submit/display.asp?story_id=80055.

demonstrate in 2016 and mature by the early 2020s requires 15–30 megawatts (MW) of electrical power to fire at its maximum projected rate of six to ten times per minute.¹⁰⁴ This is more than the total electric output of the planned Flight III DDG-51 (12 MW) and current Flight IIa DDG-51s or CGs (both 9 MW). A smaller EMRG powered via storage devices such as capacitors may be supportable by these ships' electrical systems but would have a limited number of shots before needing to be recharged, limiting its utility in a sustained engagement.

The right power level for an EMRG depends on the mission since higher power translates into longer range, although not increased projectile speed. As with the laser, the most important initial application for an EMRG will likely be defensive AAW, where its large magazine would increase the surface fleet's non-VLS defensive AAW capacity. As described in Chapter 2, an EMRG will be most effective at shorter ranges (less than about 30 nm) because its unpowered projectiles cannot maneuver enough to intercept maneuvering supersonic ASCMs and ASBMs at longer ranges.

The 32-MJ EMRG, therefore, appears well suited to the defensive AAW mission. It has a range of 110 nm surface-to-surface, and, while the projectile flies a ballistic path, it gains altitude for about the first 20–30 nm; this enables it to hit high-altitude missiles such as ASBMs at that range. A smaller EMRG than 32 MJ may not be able to engage ASBM in the 10- to 30-nm defensive AAW scheme outlined in Chapter 2. On the other hand, a larger EMRG (such as the 64-MJ EMRG being developed by the Navy) would have longer overall range surface to surface. Longer overall range, however, will not enable longer defensive AAW engagements because the primary constraint on EMRG engagement range is the projectile's inability to significantly maneuver to intercept a maneuvering missile over a long time-of-flight. A larger EMRG would require much more electrical power and cooling in exchange for the limited benefit of longer range for surface attacks.

The Navy should integrate a 32-MJ EMRG for defensive AAW on ships that are able to deploy with CSGs or Amphibious Ready Groups (ARG) and have a sufficient weight and space margin for the EMRG and associated electrical generation and cooling systems. Ideally an EMRG would be incorporated into a new large surface combatant to provide for defensive AAW and long-range surface fires, but that will not happen until the 2030s, ten years after EMRGs will likely be ready to enter the fleet. In the 2020s, ships such as JHSV or LCS could host the 32-MJ EMRG by bringing onboard additional power and cooling capacity.

¹⁰⁴ Kris Osborn, "Navy Plans to Test Fire Railgun at Sea in 2016," *Military.com*, April 7, 2014, available at http://www.military.com/daily-news/2014/04/07/navy-plans-to-test-fire-railgun-at-sea-in-2016. html; "Electromagnetic Rail Gun (EMRG)," *Global Security.org*, updated May 19, 2014, available at http://www.globalsecurity.org/military/systems/ship/systems/emrg.htm.

CGs and DDGs should not be the primary means of providing day-to-day protection for fixed locations against surprise ballistic missile attack. This would make defensive AAW those particular ships' primary mission, and the ship would be reassigned to operate in concert with large surface combatants to protect CSGs or ARGs. Alternatively, amphibious ships or carriers could be equipped with the power and cooling capacity to host an EMRG, but its rate of fire (six to ten shots/minute) would not provide adequate self-defense or substantially relieve the defensive AAW burden on large surface combatants.¹⁰⁵

EMRGs larger than 32 MJ, while not needed for defensive AAW, would be effective as surface attack weapons. The Zumwalt-class destroyers (DDG-1000) would be good platforms for surface attack EMRGs.¹⁰⁶ The DDG-1000 uses electric power for all ship systems-including propulsion-and is thus able to apportion its 78.6-MW generating capacity to engines, sensors, or weapons. Because the class is small (three ships) only one DDG-1000 is likely to be deployed at a time.¹⁰⁷ Equipping DDG-1000s with EMRGs will therefore not significantly improve the defensive AAW capacity of large surface combatants.¹⁰⁸ Instead, the DDG-1000 should host a large (64-MJ) EMRG optimized for land attack, which would require about 50-60 MW of electrical power for sustained fires. This would enable precision attacks at one-half to one-third the range of a LACM but with greater capacity and a higher probability of circumventing enemy defenses since the EMRG projectile is small and traveling at high-supersonic speed on arrival. This integration effort would also provide a valuable starting point for incorporating an EMRG on the Navy's next large surface combatant in the 2030s.

Recommendations:

1. While the Navy waits for a new surface combatant with the built-in power and cooling to accommodate an EMRG, it should equip three to five existing JHSVs or LCSs with 32-MJ EMRGs and related support systems in the early 2020s. This would be beyond the current demonstration and experimentation plan the Navy is pursuing starting in FY 2016 and would use operationally relevant EMRGs able to achieve six to ten shots per

- 106 Matt Cox, "Railguns Remain in Navy's Future Plans," *Defense Tech*, April 10, 2013, available at http:// defensetech.org/2013/04/10/railguns-remain-in-navys-future-plans/.
- 107 Current large surface combat operating cycles range from 27–36 months long with 7–8 months of deployed time per cycle. Therefore each surface combatant provides about 0.22 to 0.25 of a deployed ship.
- 108 Deputy Chief of Naval Operations, Report to Congress on the Annual Long-Range Plan for Construction of Naval Vessels for FY2015.

¹⁰⁵ To defend another ship, a ship must generally employ interceptors that can go up and over the defended ship in the event it is between the defender and the incoming missile. To defend another ship with a line-of-sight weapon such as lasers or EMRG, the carrier or amphibious ship would have to position itself between the incoming missile and the target, which puts the higher-value ship at risk and may preclude placing the carrier or amphibious ship on an advantageous course for flight operations.

minute. These ships would employ rotating military or composite military/ civilian crews to enable the ship to operate continuously overseas with periodic overhauls in CONUS. The ships would be assigned to a geographic theater and report to the CSG or ARG commander in that theater as one of the group's escorts.

- 2. The Navy should equip the JHSV's hosting EMRGs with CEC so they can receive fire control information from the Aegis combat system on CGs and DDGs. This will enable the EMRG to participate in the Navy's air defense networks. The Navy will also need to incorporate into Aegis the algorithms needed to guide EMRG projectiles to the correct intercept points for ASCMs or ASBMs.
- 3. To exploit the power capacity of DDG-1000, the Navy should explore integration of a 64-MJ EMRG on a DDG-1000 once the larger EMRG is developed and achieves a rate and number of sustained fires adequate for strike missions.

Shift BMD Missions to Other Systems

As A2/AD threats proliferate and improve, an increasing number of large surface combatants will be taken up in BMD deployments unless other means are fielded to address this mission. Because of the positioning and combat system readiness needed for BMD operations these ships are essentially lost to fleet commanders as offensive sea control assets.

CGs and DDGs should continue to have BMD capability to protect the joint force at sea and augment the defense of civilian and military targets ashore during times of heightened threat. They should not, however, be the primary means of providing day-to-day protection for fixed locations against surprise ballistic missile attack. Aegis Ashore and other land-based systems should instead be used for these applications.

<u>Recommendation</u>: The Navy should consider "trading" procurement of one Flight III DDG-51 for procurement of two Aegis Ashore systems that could be fielded in the Middle East or East Asia. The idea of trading a ship for something that is not a ship is normally anathema to Navy leaders, but every ship consigned to a BMD station is essentially lost to offensive sea control operations. This trade would return four (if the Aegis Ashore systems replace forwardbased DDGs in Japan) to ten (if the Aegis Ashore systems replace rotationally deployed DDGs in the Middle East) DDGs to offensive sea control.

Small Surface Combatants

The Navy needs improved SSC capacity and capability to restore the "division of labor" between large and small surface combatants. The growing SSC shortfall will increasingly require that CGs and DDGs conduct traditional SSC missions such as counter-piracy while the lack of air defense systems on LCSs will result in CGs and DDGs having to protect noncombatant ships in areas of conflict. As described in Chapter 2, there are three main approaches by which the Navy can use SSCs to enhance the surface fleet to regain its ability to conduct offensive sea control missions in the face of improving A2/AD threats:

Field more small surface combatants able to defend themselves and others

Augment large surface combatants with SSC SAGs for offensive sea control

Empower the National Fleet to conduct less-stressing missions

The first two approaches are interrelated in that the program and capability changes needed to make SSCs more able to defend themselves also enable them to contribute to offensive sea control. Therefore, the capability and program implications that follow focus on approaches 1 and 3 above.

Field More Small Surface Combatants Able to Defend Themselves and Others: Capability and Program Implications

Develop the follow-on SSC

The Navy's planned follow-on SSC is intended to be capable of protecting itself as A2/AD threats improve and of defending noncombatant ships and other SSCs as an escort ship. Options for the new ship include the two current LCS sea frames (an LCS without a mission package embarked), a modified LCS, and a new-design ship. The Navy intends in its FY 2015 shipbuilding plan and FY 2015 Future Year's Defense Plan¹⁰⁹ (Table 2) for the new ship to begin construction in 2019 for delivery in 2023. This would sustain the original schedule of the nowtruncated LCS program, minimize the duration of the current SSC shortfall and bring an escort-capable SSC into the fleet as soon as possible.

| FY05 | FY06 | FY07 | FY08 | FY09 | FY10 | FY11 |
|------|------|------|------|------|------|------|
| 1 | 1 | 0 | 0 | 2 | 2 | 2 |
| FY12 | FY13 | FY14 | FY15 | FY16 | FY17 | FY18 |
| 4 | 4 | 4 | 3 | 3 | 3 | 3 |
| FY19 | FY20 | FY21 | FY22 | FY23 | FY24 | FY25 |
| 2 | 3 | 3 | 3 | 3 | 3 | 3 |

TABLE 2. LCS (FY 2005-FY 2018) AND FOLLOW-ON SSC (FY 2019-FY 2025) PROCUREMENT¹¹⁰

Some DoD leaders and naval analysts argue that a modified LCS may be the Navy's only option to meet this timeline¹¹¹ based on recent U.S. Navy shipbuilding programs. For example, the first *San Antonio*-class amphibious transport dock (LPD-17) took nine years from construction contract to delivery,¹¹² whereas the USS *Arleigh Burke*¹¹³ (DDG-51), USS *Virginia* (SSN-774), and USS *Freedom* (LCS-1) all required six years to go from construction contract to delivery.¹¹⁴ One significant limiting factor is establishing the operational requirements for the new ship, which can take up to two years using the existing joint requirements process. There is some indication, however, that the Navy intends to use the existing LCS requirements justification and documents for the follow-on SSC,¹¹⁵ which could be modified to reflect the combination of capabilities needed in the new ship. This will save time in program development, but will also make it difficult for the Navy to pursue a new-design ship.

The Navy intends the follow-on SSC to have SUW, ASW, and defensive AAW capabilities, consistent with the original design of the *Perry*-class FFG.¹¹⁶ The LCS design offers ways to incorporate ASW and SUW capabilities into the sea

110 Ibid.

- 111 Christopher Cavas, "After 32 Ships, Future of LCS Program Unclear," *Defense News*, March 2, 2014, available at http://www.defensenews.com/article/20140302/DEFREG02/303020016/After-32-Ships-Future-LCS-Program-Unclear; and O'Rourke, *Navy Littoral Combat Ship Program*.
- 112 U.S. Navy, "Amphibious Transport Dock—LPD," *United States Navy Fact File*, updated May 2, 2013, available at http://ipv6.navy.mil/navydata/fact_display.asp?cid=4200&tid=600&ct=4.
- 113 Government Accountability Office (GAO), Navy Shipbuilding Cost and Schedule Problems on the DDG-51 AEGIS Destroyer Program (Washington, DC: GAO, 1990), available at http://archive.gao. gov/d27t7/140402.pdf.
- 114 O'Rourke, Navy Littoral Combat Ship Program.
- 115 Sean Stackley, Assistant Secretary of the Navy (Research, Development and Acquisition), Statement before the Subcommittee on Seapower and Projection Forces of the House Armed Services Committee, "Department of the Navy Seapower and Projection Forces Capabilities," March 26, 2014, available at http://docs.house.gov/meetings/AS/AS28/20140326/101960/HHRG-113-AS28-Wstate-StackleyS-20140326.pdf.
- 116 Chief of Naval Operations, Small Surface Combatant Task Force; Department of the Navy, Naval Sea Systems Command, RFI for Market Information Pertinent to the Navy's Future Small Surface Combatant.

frame by permanently incorporating elements of the two associated LCS mission packages. These modifications, and the addition of defensive AAW capabilities, will be constrained by funding because the Navy's current shipbuilding plan and the FY 2015–19 FYDP do not include additional funding for a more expensive SSC to follow LCS. They will also need to be within the power, cooling, and weight (200 tons) margins reserved for LCS mission package systems.

The Navy can modify the existing LCS to obtain the capabilities needed in the follow-on SSC as follows:

AAW: This is the most important mission to address because: ASCMs and ASBMs are the most stressing A2/AD threat to surface ships; the LCS sea frame has inadequate defensive AAW capability to operate independently;¹¹⁷ and there are no LCS AAW mission package systems that could be incorporated into the sea frame. As discussed in Chapter 2, 10–30 nm is the minimum range for an AAW system to protect nearby ships. To achieve this range, AAW interceptors would need to be about the size of ESSM. While some navies use above-deck launchers for ESSM or equivalent AAW interceptors, an Mk-41 VLS launcher would offer commonality with other U.S. ships and versatility to use other U.S. weapons. And, as discussed in Chapter 2, an ESSM-like missile would offer sufficient range while enabling four missiles to be loaded in each VLS cell. Each eight-cell VLS module weighs about 25 tons when loaded with interceptors.¹¹⁸

The existing LCS radar could support defensive AAW operations if paired with a fully active interceptor (such as ESSM Block 2) that does not use the ship's radar to guide the interceptor to the target. Another digital 3D radar could be used as long as it does not add significant weight and cost to the ship.

 ASW: This is the next most important shortfall to address because the LCS sea frame has some inherent SUW capability while some AAW and ASW systems (see below) can support SUW missions as well. The LCS ASW mission package consists of the proven and effective MH-60R helicopter,

¹¹⁷ The LCS sea frame is equipped with RAMs, which has a range of about 5 nm and a capacity of twentyone missiles. The range is too short to enable an LCS to defend another ship operating in company. Normal doctrine would be to fire two RAM at each incoming ASCM (with nominal ASCM speeds, there will probably not be an additional shot opportunity), resulting in it being expended after ten engagements. The RAM can be reloaded at sea if an opportunity allows.

¹¹⁸ United Defense, Armament Systems Division, Vertical Launching System (VLS) Mk 41–Tactical-Length Module (Arlington, VA: United Defense, 2010), available at http://fas.org/man/dod-101/sys/ ship/weaps/mk41-tactical.pdf.

Multifunction Towed Array, Variable Depth Sonar, and SQQ-89(V)15 processor. This complete package weighs about 115 tons.¹¹⁹

SUW: The LCS sea frame is equipped with a 57-mm gun. The SUW mission package would also normally add an MH-60R helicopter; VTUAV; two 30-mm cannons; and (in 2015) Hellfire Longbow missiles.¹²⁰ Because of the weight needed by the AAW VLS magazine and ASW mission module, the follow-on SSC would not be able to embark all these SUW systems. In particular, the 30-mm cannons, while valuable for small-boat defense, add weight high in the ship (which reduces stability) and are less important given the role of the follow-on SSC as an escort ship.¹²¹

Some of the systems described above for ASW and AAW—such as the MH-60R helicopter, VTUAV, and VLS magazine—are also applicable to SUW. Moreover, the VLS magazine would enable the follow-on SSC to conduct offensive sea control operations by carrying ASCMs, ASROC, or multimission missiles such as ESSM or SM-2 and 6. This would enable the SSC offensive sea control SAG concept described in Chapter 2.

Upgrade Flight o LCS

If the Navy pursues a modified LCS as the follow-on SSC, the additional systems incorporated into the new ship could be back-fitted into selected Flight o LCS. There are also nine LCSs still to be built, which the Navy plans to purchase from FY 2016–FY 2018. The Navy should not attempt to incorporate the added capabilities of the follow-on SSC into these remaining Flight o LCS during construction. Instead it should install them in a deliberate process after construction that exploits the modular nature of the ships. This will provide adequate time to acquisition executives, designers, and engineers to determine which LCS variant (or both) to use for the follow-on SSC and the exact characteristics of the new ships. This approach will also prevent perturbations to the LCS test program, which is currently evaluating all the components of the three mission packages (MIW, ASW, SUW) on board each of the two Flight o LCS variants. It is already

121 Swarming small boats are a significant threat, but quickly lose their effectiveness farther from shore due to alertment of the target, difficulty in coordinating their maneuvers, and more challenging sea states. Close to shore, multiple escorts would normally be used to address what would be a higher threat environment.

¹¹⁹ GAO, Littoral Combat Ship: Additional Testing and Improved Weight Management Needed Prior to Further Investments, GAO-14-749 (Washington, DC: GAO, July 2014), available at http://gao.gov/ assets/670/665114.pdf.

¹²⁰ The Longbow Hellfire missile will be incorporated into the SUW mission package in 2015; it has a range of about 5 nm and fully active seekers that enables it to find a target without a separate sensor guiding it. Osborn, "Navy Plans to Test Fire Railgun at Sea in 2016."

Incorporating additional systems into the remaining Flight o LCS before the follow-on SSC design and configuration are finalized would risk creating additional combat system variation. complex, continues to be criticized for delays,¹²² and will not be complete until FY 2017. Introducing additional installed ship systems into Flight 0 LCSs would exacerbate this challenge by adding new testing requirements just as the ship and its testing program are nearing completion.

Further, incorporating additional systems into the remaining Flight o LCS before the follow-on SSC design and configuration are finalized would risk creating additional combat system variation, which the commander of Navy surface forces cited as the single most significant challenge to surface force readiness.¹²³ Upgrades to LCSs built between FY 2016 and FY 2018 may not reflect final decisions about the configuration of the follow-on SSC. The resulting lack of commonality between systems on the twenty-three Flight o LCSs, the nine ships yet to be built, and the follow-on SSC would add complexity and likely impact readiness. In contrast, back-fitting follow-on SSC systems onto Flight o LCS would enable them to be common between the two classes of ship and reduce training and logistics complexity.

Eliminate LCS rotating crews

The truncation of the LCS program, development of the follow-on SSC, and possible upgrades to Flight o LCSs call into the question the Navy's planned LCS crewing concept. In this concept, three rotating crews operate two LCS sea frames of the same variant (i.e., either LCS-1 or LCS-2 class). One of the two sea frames would operate for sixteen months at a time from an overseas port, manned by rotating crews on four-month deployments. The other sea frame would be in the ships' CONUS homeport for maintenance and to enable non-deployed crews to train (see Table 3). The mission packages for MCM, SUW, and ASW are to be manned by detachments that deploy to the sea frame with their packages. All of the sea frame and mission package crews would be based in CONUS.

122 Paul Francis, Navy Shipbuilding: Significant Investments in the Littoral Combat Ship Continue Amid Substantial Unknowns About Capabilities, Use, and Cost, (Washington, DC: GAO, July 25, 2013) available at http://www.gao.gov/assets/660/656194.pdf.

123 Copeman, Vision for the 2026 Surface Fleet.

| | 117 Days |
|----------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| LCS 1 | | Deployed | | | Homeport | | | |
| LCS 3 | | Homeport | | | Deployed | | | |
| Crew 101 | LCS 1 | Off Hull Period | LCS 3 | LCS 1 | Off Hull Period | LCS 3 | LCS 1 | Off Hull Period |
| Crew 102 | Off Hull Period | LCS 3 | LCS 1 | Off Hull Period | LCS 3 | LCS 1 | Off Hull Period | LCS 3 |
| Crew 103 | LCS 3 | LCS 1 | Off Hull Period | LCS 3 | LCS 1 | Off Hull Period | LCS 3 | LCS 1 |

TABLE 3. NOTIONAL ROTATIONAL CYCLE FOR LCS-1 AND 3 CREWS

This model had value when the Navy planned to build fifty-two LCSs. It would maintain twenty-six SSCs forward without having to base any of the ships or crews overseas,¹²⁴ albeit with the cost of maintaining seventy-eight separate sea frame crews. There are two significant reasons the Navy should shift from this approach to instead have a single dedicated crew for each LCS sea frame:

- Forward basing opportunities for Flight o LCS. With only thirtytwo Flight o LCSs, the Navy's planned crewing model would maintain sixteen sea frames forward, manned by forty-eight rotating crews. These ships would replace today's forward-based SSCs and operate out of Bahrain (eight), Singapore (four), and Sasebo in Japan (four), but not be based there.¹²⁵ The Navy could keep the same number of sea frames overseas with only thirty-two crews by manning each sea frame with one dedicated crew and basing them in these three ports. In Bahrain and Sasebo this would continue the current forward-basing arrangement of today's PCs and MCMs, whereas in Singapore new arrangements would be needed for crews (perhaps unaccompanied at first) to live at the U.S. facility there. The remaining sixteen LCSs would be based in CONUS. As with other surface combatants, ships based overseas would swap with CONUS-based ships every five to eight years to conduct major maintenance actions such as overhauls. Mission packages would continue to have their own crews that rotate to the host platform.
- More organic capabilities and increased variation in upgraded LCSs and follow-on SSCs. Between follow-on SSCs, two variants of Flight o LCSs, and upgraded LCSs, there will be at least five different configurations of LCS-based ships. Each will require different personnel

125 Greenert, "Planning for Sequastration in FY2014."

¹²⁴ At the end of FY 2014 there will be ten PCs and four MCMs forward-based in Bahrain and four MCMs forward-based in Sasebo, Japan, for a total of eighteen forward-deployed SSCs.

skills and qualifications, making it increasingly difficult to move crews between ships. The resulting LCS family of SSCs should shift to dedicated crews to enable them to be tailored to the capabilities on each ship.

Recommendations:

- 1. The Navy should pursue a modified LCS as the follow-on SSC, starting design work in FY 2016 and construction in FY 2019 to minimize the duration of the shortfall in SSC inventory.
 - The new ship should be based on a single variant of LCS to reduce logistics and combat system complexity, which has been a noted deficiency in the current LCS program.¹²⁶
 - Either LCS variant could be modified to become the follow-on SSC. Each would have inherent advantages and disadvantages when used as an escort ship or part of an offensive sea control SAG.
- The follow-on SSC should add the following systems or equivalents to the basic LCS sea frame. This combination should fit on either LCS variant based on weight constraints (200 tons) and according to assessments by the two LCS shipbuilders¹²⁷:
 - The current ASW mission package consisting of the MH-60R, VTUAV, Multifunction Towed Array (MFTA), VDS, and SQQ-89(V)15 processor (adds 115 tons);
 - The existing digital 3D phased array radar; and
 - Three eight-cell Mk-41 tactical length¹²⁸ VLS modules (loaded with up to ninety-six ESSMs) and an existing compatible fire control system such as the Ships Self Defense System (SSDS) (adds 75 tons).

This combination of systems will take almost all the weight set aside for mission package systems and associated fuel. To account for the weight

¹²⁶ O'Rourke, Navy Littoral Combat Ship Program.

¹²⁷ Doug Percivalle, president, Austal USA, interview with Bryan Clark, May 7, 2014; Terry O'Brien, vice president, Austal USA, interview with Bryan Clark, May 28, 2014; Chuck Goddard, president, Marinette Maritime Corporation, interview with Bryan Clark, April 23, 2014.

¹²⁸ These are long enough to accommodate SM-2, ESSM, ASROC, and Naval Strike Missile, but not long enough for Tomahawk. See United Defense, Armament Systems Division, Vertical Launching System (VLS) Mk 41–Tactical-Length Module.

needed for aviation fuel, reductions could be made elsewhere in the ship¹²⁹ or (least preferred) the VLS magazine can be reduced to sixteen cells total. Based on costs of the relevant mission packages and VLS system, this follow-on SSC would likely cost about \$100 million more than the current LCS sea frame (\$475 million).¹³⁰ This may reduce the number that can be bought in a given year relative to LCS.

- 3. The Navy should consider, after the requirements and specifications of the follow-on SSC are established, which of the features permanently added to LCS to create the follow-on SSC should be back-fitted into LCS Flight o sea frames after they are constructed. This should be done deliberately in light of the following considerations:
 - The upgrades added to Flight o LCS should consider which mission package systems the upgraded LCSs will no longer be able to embark because of space and weight limitations.
 - The most useful permanent addition would likely be VLS because of its multi-mission versatility. This will add significant weight to the ship and limit its ability to carry some mission packages. For example, since the MCM mission package is the lightest (about 80 tons), a Flight 0 LCS sea frame upgraded with a twenty-four-cell VLS magazine could still embark the MCM mission package and fuel for its vehicles. This upgraded LCS may not, however, be able to carry the full ASW mission package unless other allowances were made to account for the weight of aviation fuel needed (as would be done in the follow-on SSC).
 - Permanent features added to LCS sea frames will increase variation in ship systems, creating a logistics challenge, and change the crew skills needed for that particular sea frame. This will impact the Navy's planned rotational crew model since crew compositions will begin to vary from sea frame to sea frame (and is an argument for going to dedicated crews).
- 4. The Navy should pursue modular capabilities for non-kinetic LCS defensive AAW based on the SLQ-32 SEWIP Block 3 system that will be installed on DDGs starting in FY 2017.¹³¹ This digital system uses a versatile electroni-

- 130 O'Rourke, Navy Littoral Combat Ship Program.
- 131 Jonathan Greenert, U.S. Navy Chief of Naval Operations, Statement before the Senate Subcommittee on Defense, Committee on Appropriations, "FY 2014 Department of Navy Posture," April 24, 2013.

¹²⁹ In particular, if the speed requirement for the LCS (45 knots minimum) were relaxed, both LCS variants could save weight by changing their propulsion architecture to use a smaller "boost" turbine. The two variants are capable of at least 15 knots sustained speed on diesel engines alone. One or more gas turbines are used to achieve faster speeds.

The Navy could use modular systems and equipment to empower a larger pool of governmentowned ships for these security cooperation and training missions in low-threat environments. cally scanned array that can detect, classify, jam, deceive, and gather intelligence on enemy electromagnetic sensors and communication systems across a wide range of frequencies. It can conduct more missions than the planned LCS EW system and engage more incoming missiles to expand LCS defensive AAW capacity without requiring more interceptors.

5. The Navy should eliminate the current rotational crewing concept for the LCS and instead man each ship with a dedicated crew. Further, the Navy should forward-base LCSs overseas rather than only operate them from overseas ports. Forward basing should start in those locations where SSCs are based or operate from today (Bahrain, Sasebo, and Singapore), but should expand to include additional partner and ally bases.

Empower the National Fleet to Conduct Less-Stressing Missions: Capability and Program Implications

As indicated in Figure 6, the shortfall in SSCs between now and the mid-2020s will result in more large surface combatants being pulled away from offensive sea control missions to perform maritime security, training, and other constabulary missions. The Navy could use modular systems and equipment, such as those developed for the LCS, to empower a larger pool of government-owned ships for these security cooperation and training missions in low-threat environments.

Recommendations:

- 1. The Navy should establish mission packages as a set of programs independent of LCS and evolve existing LCS mission packages to be able to operate as stand-alone systems. This would enable whole mission packages or components of mission packages to be used on logistic, support, and other noncombatant ships. This may require mission package sensors to collect raw data for later processing and analysis or to transmit raw sensor data to another ship such as an LCS for processing. Weapons systems will need to be able to fire using a local controller (as opposed to the LCS combat system) and find the target with an organic seeker. The Navy should make the following mission package systems capable of stand-alone operation:
 - The entire MCM mission package. Several of the remotely operated and autonomous UUVs of this package were operated from RHIBs, the USS *Ponce*, and foreign ships during International Mine Countermeasure Exercises in 2012 and 2013. Other MCM mission package systems such as the Airborne Laser Mine Detection System can be mounted on helicopters and small boats operating from ships other than an LCS. Data from sensor systems could be collected and passed physically

or via communication networks to a mine-clearing command and control vessel.

- The entire SUW mission package. The helicopters, Hellfire missile, and RHIBs of this package can be readily made into stand-alone systems. The Mk-46 30-mm gun will be more difficult to incorporate into some ships because of its size and shape, but could be modified to operate as a stand-alone system.
- Some systems from the ASW mission package. The lightweight tow and torpedo decoy system would be useful on support and logistic ships as a self-defense measure, while the MH-60R ASW helicopter can be hosted on a wide range of platforms. The other main ASW mission package systems (MFTA and variable depth sonars, SQQ-89[V]15 processor) require specialized handling equipment and fittings on the host platform and therefore may not be practical as stand-alone systems.
- 2. The Navy should consider building additional civilian-crewed ships such as JHSV to mitigate the near-term SSC shortfall. This would also provide additional inexpensive capacity to support a future EMRG deployment and serve as a hedge against future reductions in SSC procurement due to fiscal constraints as discussed in Chapter 1. For example, a JHSV costs about \$180 million,¹³² about one-third the cost of an LCS.¹³³ During years in which there isn't enough funding to buy the third LCS or follow-on SSC, the Navy could buy an additional JHSV.
- 3. The Navy should develop additional mission packages for security cooperation, training, humanitarian assistance, etc., to enable U.S. and partner noncombatant ships to more easily contribute to these missions.

Surface Fleet Weapons

A New Approach to Weapons Development

Between now and 2025, the surface fleet can substantially improve its offensive sea control capability and capacity through changes to its weapons portfolio. Weapons were not an area of emphasis in the post-Cold War era and now U.S. forces find themselves at the wrong end of range, salvo, and cost competitions Between now and 2025, the surface fleet can substantially improve its offensive warfare capability and capacity through changes to its weapons portfolio.

¹³² Department of the Navy, Office of Budget, Highlights of the Department of the Navy FY 2013 Budget (Washington, DC: U.S. Navy, 2012), available at http://www.finance.hq.navy.mil/FMB/13pres/ Highlights_book.pdf.

¹³³ O'Rourke, Navy Littoral Combat Ship Program.

with potential adversaries equipped with Chinese and Russian-made long-range precision weapons.

As described in Chapter 2, the Navy should prioritize relevant capability, multimission versatility, and smaller size in its next generation of weapons. This will enable surface combatants to conduct offensive sea control and increase the real and effective capacity of the VLS magazine—the ship's main battery.

Recommendations: The Navy should pursue the following weapons capabilities:

- 1. A multi-mission, long-range ASCM/LACM: The Navy should consider a smaller warhead when developing the surface launch LRASM variant to enable a range comparable to a Tomahawk (>800 nm) that could make it an effective anti-ship or land-attack weapon.
- 2. A multi-mission offensive AAW/LACM/ASCM: The GPS capability being incorporated into the SM-6 could also enable it to conduct SUW and strike missions against fixed targets as is possible with SM-2.
- 3. A long-range ASW missile: A follow-on to ASROC based on a long-range weapon such as SM-2, SM-6, or LRASM would enable surface ships to directly engage enemy submarines outside enemy ASCM range and complement the weapons capacity of their embarked helicopters. Surface combatants would be able to attack submarines at the limit of their organic sensors or based on cueing from external sensors such as SOSUS or SURTASS. The Navy should also investigate a smaller standoff ASW weapon that can be carried in larger numbers to engage submarines at more than 15 nm but less than enemy ASCM range.
- 4. A small, fully active defensive AAW interceptor: The development of ESSM Block 2 should be accelerated. Its small size and active seeker will enable large and small surface combatants to engage more incoming ASCMs than a larger semi-active missile that takes an entire VLS cell and requires the radar to illuminate the target.

With these changes, a notional DDG-51 VLS loadout could change, as indicated in Table 4.

| Mission | Current Missile | Number | Future Missile | Number |
|---------------|-----------------|----------------|-----------------|---------------|
| Offensive AAW | SM-6 | 34 | SM-6 | 42 |
| Defensive AAW | ESSM | 32 (8 cells) | ESSM BIk II | 96 (24 cells) |
| | SM-2 | 32 | | |
| BMD | SM-3 | 6 | SM-3 | 4 |
| Strike | Tomahawk | 4 | LRASM | 18 |
| SUW | see note below | see note below | LRASM/SM-series | 18/42 |
| ASW | VLA | 4 | New ASW missile | 8 |

TABLE 4. EVOLVED VLS LOADOUT WITH PROPOSED WEAPONS CHANGES

Note: Flight 1 DDG-51s have 8 Harpoon ASCMs in a deck-mounted non-VLS launcher.

Summary

These recommendations intentionally focus on the "payloads" a ship carries such as sensors, weapons, and other combat systems, rather than proposing new-design surface combatants. This acknowledges the significant fiscal constraints facing the Navy as it pursues a new central concept for the surface fleet. These constraints will likely prevent the Navy from building a new-design ship until the mid-2030s.

Focusing on payloads also allows these recommendations to deliver improvements in the near to midterm (one to two FYDPs) and address the continued improvement and proliferation of A2/AD threats. A2/AD networks such as China's already have a range and capacity advantage over U.S. surface combatants, which will grow as their capabilities improve. These recommendations will enable the surface fleet to begin to regain an advantage in the salvo and cost competition with A2/AD-equipped adversaries in the next ten years.

Finally, a focus on payloads enables these recommendations to be more "actionable" by a budget process that is increasingly unstable as a result of ongoing budget caps and resistance by the Congress and the White House to agree on long-term defense spending levels. It is easier in this environment to start or protect funding for modifications to existing ships and new weapons or sensors than to sustain the resources necessary for a major new construction program. 60 CSBA | COMMANDING THE SEAS

CHAPTER 4

Conclusion

The U.S. military must regain its ability to control the sea against improving A2/AD threats. While this is often considered a job for the Navy alone, DoD should explore options to improve the ability of other parts of the joint force to contribute to sea control. For example, U.S. Army or Marine Corps units could employ anti-ship missiles from shore, or U.S. Air Force bombers could regain their proficiency in maritime strike. The fight for maritime access will need to become more "joint" as it becomes increasingly contested in strategically significant areas such as the Persian Gulf, Western Pacific, and Indian Ocean.

The surface fleet, however, will remain the only element of the joint force dedicated to sea control. To regain their maritime superiority, surface combatants will need to be able to destroy threats to sea control before the enemy can attack, rather than simply have an improved ability to defend against weapons after they are launched. Defensive sea control, which the surface fleet fell into largely through neglect of weapons development, will only exacerbate today's growing weapons and cost exchange disadvantages. Only by returning to an offensive approach, as with the Cold War's Outer Air Battle, can the surface fleet position itself to fire fewer weapons than the enemy and do so without draining resources from other parts of the fleet.

In pursuing offensive sea control, the surface fleet must contend with persistent and growing demands for maritime security, training, and cooperation missions. Without sufficient SSCs and noncombatant ships to perform these missions, the division of labor in the surface fleet will break down, and large surface combatants—the fleet's mainstay for offensive sea control—will become consumed in constabulary operations.

The Navy's approach to these challenges cannot be a future vision targeted for decades from today. It must be an executable plan incorporating realistic resource and time constraints that enables the surface force to gain the advantage against improving adversaries as soon as practical. This study provides the framework of such an approach for the surface fleet to restore its command of the sea.

LIST OF ACRONYMS

| A2/AD | anti-access/area denial |
|----------|---|
| AAW | anti-air warfare |
| AFSB | Afloat Forward Staging Base |
| AFSB-I | Afloat Forward Staging Base - Interim |
| AMDR | Air and Missile Defense Radar |
| ARG | Amphibious Ready Group |
| ASBM | anti-ship ballistic missile |
| ASCM | anti-ship cruise missile |
| ASROC | anti-submarine rocket-propelled torpedo |
| ASW | anti-submarine warfare |
| BBA | Bipartisan Budget Act of 2013 |
| BCA | Budget Control Act of 2011 |
| BMD | ballistic missile defense |
| CEC | Cooperative Engagement Capability |
| CG | guided-missile cruiser |
| CIWS | close-in weapons system |
| CONUS | continental United States |
| CSBA | the Center for Strategic and Budgetary Assessments |
| CSG | carrier strike group |
| CVBG | carrier battle group |
| CVLWT | Common Very Light-Weight Torpedo |
| DDG | guided-missile destroyer |
| DoD | Department of Defense |
| EM | electromagnetic |
| EMRG | electromagnetic railgun |
| EO | electro-optical |
| ESSM | Evolved Sea Sparrow Missile |
| FAC | fast attack craft |
| FFG | frigate |
| FSS | Fast Sealift Support |
| FY | fiscal year |
| FYDP | Future Years Defense Program |
| GPS | Global Positioning System |
| IR | infrared |
| JASSM-ER | Joint Air-to-Surface Standoff Munition-Extended Range |
| JHSV | joint high speed vessel |
| LACM | land-attack cruise missile |

LIST OF ACRONYMS

| 105 | Littered Compat Shin |
|---------|--|
| LCS | Littoral Combat Ship |
| | low-frequency active acoustic |
| | amphibious transport dock |
| | Long Range Anti-Ship Missile |
| MAGLEV | magnetic levitation |
| MCM | mine countermeasures ship |
| MFTA | Multifunction Towed Array |
| MIW | mine warfare |
| MSC | Military Sealift Command |
| NATO | North Atlantic Treaty Organization |
| NDRF | National Defense Reserve Fleet |
| NGLAW | Next Generation Land Attack Weapon |
| NIFC-CA | Naval Integrated Fire Control-Counter Air |
| 000 | Overseas Contingency Operations |
| ОТН | over-the-horizon |
| PAC-3 | Patriot Advanced Capability upgrade version 3 |
| PC | patrol craft |
| Pk | probability of kill |
| QDR | Quadrennial Defense Review |
| R&D | research and development |
| RAM | Rolling Airframe Missile |
| RHIB | rigid-hull inflatable boat |
| SS-L-S | shoot-shoot-look-shoot |
| S-L-S | shoot-look-shoot |
| SAG | surface action group |
| SSL | solid-state laser |
| SOSUS | Sound Surveillance System |
| SSBN(X) | Ohio-class ballistic missile submarine replacement |
| SSC | small surface combatant |
| SSDS | Ship Self-Defense System |
| SSL-TM | Solid-State Laser Technology Maturation |
| SSN | nuclear attack submarine |
| SURTASS | Surveillance Towed Array Sensor System |
| SUW | surface warfare |
| THAAD | Terminal High Altitude Area Defense |
| UAV | unmanned aerial vehicle |
| USNS | United States Naval Ship |
| | |

LIST OF ACRONYMS

| USS | United States Ship |
|----------|---|
| USSR | Union of Soviet Social Republics |
| UUV | unmanned underwater vehicle |
| VDS | variable depth sonar |
| VLA | vertical launch ASROC |
| VL-ASROC | vertical launch anti-submarine rocket-propelled torpedo |
| VLS | vertical launch system |
| VTUAV | vertical takeoff unmanned aerial vehicle |



s and

1667 K Street, NW, Suite 900 Washington, DC 20006 Tel. 202-331-7990 • Fax 202-331-8019 www.csbaonline.org